

FORWARD

The equipment included in this listing has been rated acceptable for use in dairy plants surveyed and approved for USDA grading service.

The Dairy Grading Branch conducts design reviews and prototype inspections according to the regulations set forth in the General Specifications for Approved Dairy Plants and Standards for Grades of Dairy Products as outlined in 7 CFR 58.101 through 58.938, and the principles, guidelines, and criteria established by the 3-A Sanitary Standards Committees, and the USDA Guidelines For The Sanitary Design and Fabrication of Dairy Processing Equipment.

The general requirements for construction, repair and installation as outlined in section 58.128(a) reads as follows:

Section 58.128 Equipment and utensils.

(a) General construction, repair and installation. - The equipment and utensils used for the processing of milk and manufacture of dairy products shall be constructed to be readily demountable where necessary for cleaning and sanitizing. The product contact surfaces of all utensils and equipment such as holding tanks, pasteurizers, coolers, vats, agitators, pumps, sanitary piping and fittings or any specialized equipment shall be constructed of stainless steel, or other materials which under conditions of intended use are as equally corrosion resistant. Nonmetallic parts other than glass having product contact surfaces shall comply with 3-A Sanitary Standards for Plastic or Rubber or Rubber-Like Materials. Equipment and utensils used for cleaning shall be in an acceptable condition, such as not rusty, pitted or corroded. All equipment and piping shall be designed and installed so as to be easily accessible for cleaning, and shall be kept in good repair, free from cracks and corroded surfaces. New or rearranged equipment, shall be set away from any wall or spaced in such a manner as to facilitate proper cleaning and to maintain good housekeeping. All parts or interior surfaces of equipment, pipes (except certain piping cleaned-in-place) or fittings, including valves and connections shall be accessible for inspection. Milk and dairy product pumps shall be of a sanitary type and easily dismantled for cleaning or shall be of specially approved construction to allow effective cleaning in place.

All CIP systems shall comply with the 3-A Accepted Practices for Permanently Installed Sanitary Product, Pipelines and Cleaning Systems.

It is Dairy Grading Branch policy to fully support the established 3-A Sanitary Standards Programs and to encourage equipment manufacturers, distributors, and the dairy plant and users to participate fully in the development and application of the 3-A Sanitary Standards and Accepted Practices. All equipment which fully complies with the criteria set forth in the applicable 3-A Sanitary Standards or 3-A Accepted Practice is accepted as meeting the requirements of the USDA General Specifications. This equipment listing is not intended to include all equipment which complies with established 3-A Sanitary Standards or Accepted Practices. There may be instances, however, when such equipment is included in this listing in order to provide clarification about it's use within dairy plants surveyed and approved for USDA grading service.

Equipment which is not covered by established 3-A Sanitary Standards or Accepted Practices will be reviewed by the Dairy Grading Branch utilizing requirements of Section 58.128 of the USDA General Specifications and the USDA Guidelines For The Sanitary Design and Fabrication of Dairy Processing Equipment.

As appropriate, regulations for the Food and Drug Administration (FDA), Department of Health and Human Services will be used to determine the suitability of component materials and processes with respect to public health concerns.

Equipment reviews and acceptances by USDA Dairy Grading Branch are separate and apart from any other USDA review process. Equipment designs submitted to and accepted by other USDA agencies are not transferable to Dairy Grading Branch.

These reviews are not intended as a USDA endorsement of the equipment's ability to function according to advertised statements or manufacturers claims of performance. The reviews are for sanitary design, fabrication and cleanability features only.

When a manufacturer's advertising references USDA acceptance, the correct terminology is "Model has been reviewed and accepted by the Dairy Grading Branch, USDA for use in dairy plants surveyed and approved for USDA grading service."

EQUIPMENT REVIEW PROCEDURE

Equipment may be submitted for USDA, Dairy Grading Branch review by the designer, fabricator, distributor, or end user. The equipment may be reviewed from blueprints, prototypes, pilots, or full size units. In most cases, cost savings can be realized by beginning the review process during the blueprint design stage of development.

The Dairy Grading Branch is a user fee supported service. Therefore, charges will be made for the review of drawings or equipment and for related travel and other expenses.

Street Address:

USDA, Agriculture Marketing Service Dairy Programs, MS-0230 1400 Independence Ave.,S.W., Washington, D.C. 20250-0230

> Phone: 202-720-3171 Fax: 202-720-2643

Engineering drawings of the entire piece of equipment are generally required for evaluation of details for USDA acceptance. Engineering drawings must be of sufficient detail to clearly show:

- The dimensions of each part;
- The minimum radii dimensions of internal angles of less than 135 degrees;
- The product contact surface finish specifications;
- The specifications for welds and other permanent joints;
- The design details for flanges, or gasketed joints which are to include enlarged
- drawing(s)(at least 2X) of the details of O-ring retaining grooves as appropriate;
- The dimensions of O-rings, gaskets, and any other type of seals; and
- Explanations about company welding symbols and metal finishes.

Dimensions may be shown in either English or metric measurement terms. The required materials listings and terminology on the drawings should be in English or include translations into English. Concept or assembly drawings should also be provided as they are useful in showing the general configuration of the equipment and the relationship of component parts to each other.

The review will encompass three aspects; design, construction materials and fabrication as they relate to the equipment's cleanability. Design review will include both product contact and nonproduct contact surfaces in accordance with the criteria outlined in the Foreword section of this publication. Fabrication will be evaluated by the physical inspection of completed units, usually at the fabricators facilities or at the dairy plant. The equipment will be checked for workmanship, metal finish, and adherence to the accepted drawings. Cleanability will be evaluated on a completed unit after a period of actual use. The cleanability inspection may require extensive disassembly of component parts to fully evaluate design characteristics as they relate to cleanability.

Equipment cleanability is directly related to the basic design. In general, equipment for manual cleaning must be designed so that access to product contact surfaces can be easily achieved with the use of simple tools generally available to a dairy plant production employee. Equipment intended for CIP (cleaning-in-place) cleaning must be designed so that all product contact surfaces will be subjected to sufficient cleaning solution to completely remove all product residue during the cleaning cycle. While bacterial swab tests of cleaned surfaces and bacterial tests of finished products are important indicators of cleanliness, they will not constitute the sole criteria of design suitability. Physical inspection of surfaces will be the primary method for the evaluation of cleanability.

Equipment offered for review should be designated by a specific model number or descriptive name for clear identification. Equipment which may be manufactured in both sanitary and non-sanitary configurations may bear the same basic model number provided that a prefix or suffix is added to clearly differentiate the styles.

Equipment submitted for design review during the blueprint stage will be granted a preliminary acceptance pending satisfactory demonstration of fabrication workmanship and cleanability. Full, unrestricted acceptance will be granted upon successful completion of all three aspects of the review process.

Acceptance will be further identified according to the mode of cleaning for which the unit is designed. The acceptance will be designated as follows:

Manual - Acceptance when cleaning is accomplished by complete disassembly and manual cleaning.

Partial CIP - Acceptance with CIP cleaning of major portions of the unit and with the disassembly and manual cleaning of some component parts.

Full CIP - Acceptance with complete CIP cleaning of entire unit.

Upon acceptance of a particular unit, the manufacturer accepts the responsibility of informing the USDA, Dairy Grading Branch, about subsequent design changes and to submit such design modifications or improvements for review and acceptance.

Agglomerator/Instantizer

Agitator Assembly - Mixer Agitator Assembly - Tank Air-to-Air Regerative Heat Exchangers Anti-telescoping/Interconnector Devices Automatic Cheesemaker - American Bearing/Bushing Bin Discharge Bin Vent Blender - Ribbon Block and Barrel Formers - Cheese Block Breaker - Cheese Brine System - Cheese Bulk Handling Equipment - Cheese Butter Churn - Continuous Can Opening Equipment Centrifuge - Basket Cheese Vat Collators - Cheese Collector - Bag Type Collector - Filter Materials and Bags Conveyors - Auger Type Conveyors - Belt Type Conveyors - Belting Conveyors - Bucket Type Conveyors - Cheese Curd Conveyors - Flexible Conveyors - Indexing Conveyors - Packaged Product Conveyors - Pneumatic Conveyors - Powered Rollers Conveyors - Vacuum

Conveyors - Vibrating

Conveyors - Weigh Belt Conveyors-Sprockets Cooker - Process Cheese **Curd Conditioner** Cutter - Cheese Decanter Draining and Salting Conveyor Drier - Fluid Bed Drier - Spray Drying Shelf and Rack **Dump Equipment - Bags** Dump Equipment - Bulk Bin Enclosed Chilling Systems - Mozzarella Expansion Chamber - Butter Explosion and Fire Suppression System Fan - Sanitary Filters and Stariners Fines Saver Finishing Table - Cheese Fitting - Hose Coupling Fitting - Sanitary Fitting - Sightglass Floor Drain Flow Meter Grinder Heat Exchanger - Tubular Hoops and Moulds Hose - Assembly Hose - Plastic Hose - Rubber Ingredient Feeder - Auger Type Ingredient Feeder - Dry Products Ingredient Feeder-Liquid

Lump Breaker - Dry Products

Membrane Module

Membrane System - Plate and Frame

Membrane System - Spiral

Membrane System - Tubular

Metal Detectors

Milk/Milk Products Separators/Clarifiers

Mill - Dry Products

Miscellaneous Nonproduct Components

Miscellaneous Process Systems

Mixer - Shear

Mixer - Whipped Butter

Mixer/Moulder - Mozzarella

Nitrogen/Inert Gas Equipment

Packaging Machine - Bag Filler, Dry Products

Packaging Machine - Bag Inserter

Packaging Machine - Bulk Bag

Packaging Machine - Bulk Butter

Packaging Machine - Cheese

Packaging Machine - Form, Fill and Seal

Packaging Machine - Pouch or Can

Packaging Machine - String Cheese

Packaging Machine - Vacuum Sealer

Packaging Machine - Viscous Products

Portable Bin - Dry Products

Pump - Diaphragm

Pump - Miscellaneous

Pump - Piston/Plunger

Pump - Positive Displacement Rotary

Pump - Progressive Cavity

Pump - Stuffer

Reclaiming Equipment - CIP Solutions

Rotary Valve

Salting Equipment - Cheese

Sampler - Dry Products

Scale - Sanitary Seal - Sanitary Sensor - Level Control Sensor - Refractometer Sensors Shredder Sifter Slice Casting Machine Slicer Sonic Horn Spray Cleaning Device Stainer - Rotary Drum Stainless Steel Alloy Strainer-Inline Tank - Dry Products Silo Tank - Farm Milk Cooling Tank - Jacketed Processing Tank - Transfer Hopper Truck Tanker - Dry Products Tumble Drum **Unpacking Equipment** Valves - Butterfly Valves - Compression Valves - Diverter Valves - Dry Products Valves - Gate Valves - Vacuum Release Water Heating System

Agglomerator/Instantizer

Schugi Process Engineers MODEL: CLEANING REQUIREMENTS

Flexmix 160 Partial CIP

Skillman NJ08558-2019 COMMENT:

TELEPHONE: FAX:

Agitator Assembly - Mixer

APV Americas - Lake Mills

100 South CP Avenue

Lake Mills WI53551-1799

TELEPHONE: FAX:

MODEL:

09XP459189, 09xp453975

CLEANING REQUIREMENTS

Manual

COMMENT:

Agitator Assembly - Tank

Walker Stainless - New Lisbon MODEL: CLEANING REQUIREMENTS

Full CIP

P.O. Box 202

New Lisbon WI53950-0202 COMMENT:

TELEPHONE: FAX: Evaluation of agitator assembly for mechanical cleaning

applications.

Air-to-Air Regerative Heat Exchangers

Air Frohlich Energy Recovery

Shelard Tower, Suite 650

600 South County Rd 18

MN55426 Minneapolis

TELEPHONE: (612) 546-7431

FAX:

MODEL: Bepex Corporation

333 N. E. Taft Street

Minneapolis MN55413-2810

TELEPHONE: FAX: MODEL: **CLEANING REQUIREMENTS** ΑII

Partial CIP

COMMENT:

CLEANING REQUIREMENTS

Xchanger (Fin Type) Partial CIP

COMMENT:

Anti-telescoping/Interconnector Devices

Koch Membrane Systems Inc. MODEL: CLEANING REQUIREMENTS

Spiral ATD Full CIP

Wilmington MA01887-3388 COMMENT: TELEPHONE: FAX:

Niro Hudson

CLEANING REQUIREMENTS

MODEL:

COMMENT:

1600 O'Keefer Road 58 S or P, 38 S or P Full CIP

Hudson WI54016

TELEPHONE: FAX: (715) 386-9371 (715) 386-9376

Thomas Technical Services, Inc MODEL: CLEANING REQUIREMENTS

Full CIP

PO Box 28

Neillsville WI54456

TELEPHONE: FAX: COMMENT:

Automatic Cheesemaker - American

Alfa Laval Cheese Systems Ltd. MODEL: CLEANING REQUIREMENTS

Penn Grove House Alcurd Partial CIP

3 Penn Hill COMMENT:

FAX:

FAX:

TELEPHONE:

TELEPHONE:

TELEPHONE:

49-80-39-401-180

Yeovil, Somerset Acceptance by each installation.

Great Britain BA201SF

Alfa Laval Cheese Systems Ltd. MODEL: CLEANING REQUIREMENTS

Penn Grove House Camatic Partial CIP

3 Penn Hill COMMENT:

Yeovil, Somerset Acceptance by each installation.

Great Britain BA201SF

Alpma Alpenland Machinenbau MODEL: CLEANING REQUIREMENTS

PostFach 20, D-83540

F 05ti acti 20, D-03340

Rott am INN COMMENT:

Germany D-83540

49-80-39-401-211

FAX:

Bearing/Bushing

Castnylons Limited 4300 Hamann Parkway

Willoughby OH11094 FAX:

TELEPHONE:

MODEL: NYLOIL FG

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Distributed by: Currbell Plastics Phone: 1-800-394-5616

Bin Discharge

(201) 764-2000

Metalfab, Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 9 BA Manual

Price Switch Road COMMENT:

Vernon NJ07462 **TELEPHONE: FAX:**

(201) 764-0272

Bin Vent

NUCON

1600 Lake Drive W

Chanhassen

MN55317

TELEPHONE: FAX:

MODEL: NCBV**-**-27

CLEANING REQUIREMENTS

Manual

COMMENT:

Blender - Ribbon

TELEPHONE:

TELEPHONE:

Aaron Equipment Co. MODEL: CLEANING REQUIREMENTS

P.O. Box 80 Custom Models Manual

735 E. Green St. COMMENT:

FAX:

Bensonville IL60106-0080 Acceptance by each installation.

American Process Systems Corp. MODEL: CLEANING REQUIREMENTS

3815 Grandville Avenue Custom Models Manual

Gurnee IL60031-2331 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

Bepex Corporation MODEL: CLEANING REQUIREMENTS

RS18K5405 Partial CIP

Minneapolis MN55413-2810 COMMENT:

FAX:

Block and Barrel Formers - Cheese

MODEL: Alfa Laval Cheese Systems Ltd. **CLEANING REQUIREMENTS**

40 Pound Block Tower Partial CIP Penn Grove House

3 Penn Hill **COMMENT:**

Yeovil, Somerset **Great Britain BA201SF**

TELEPHONE:

TELEPHONE:

TELEPHONE:

(920) 922-1500

Kiel

FAX:

MODEL: Stoelting, Inc. **CLEANING REQUIREMENTS** 40 Pound Block Tower Partial CIP

P.O. Box 127

502 Highway 67 COMMENT:

TELEPHONE: FAX:

MODEL: Tetra Pak Tebel **CLEANING REQUIREMENTS**

Casomatic Partial CIP Zwettestraat 30,PO Box370

8901 DB COMMENT: Leeuwarden

The Netherla 8901 BD

FAX:

WI53042-0127

31-(0)582332900 31-(0)582332998

MODEL: Tuchenhagen Damrow, Inc. **CLEANING REQUIREMENTS**

BCF Full CIP 196 Western Avenue

P.O. Box 750 **COMMENT:**

Fond Du Lac WI54936-0750

(920) 922-1502

FAX:

Block Breaker - Cheese

FAX:

American Process Systems Corp.

3815 Grandville Avenue

Gurnee IL60031-2331

TELEPHONE:

MODEL: Custom Model **CLEANING REQUIREMENTS**

Manual

COMMENT:

Acceptance by each installation.

Brine System - Cheese

TELEPHONE:

Belding

Fiberfab MODEL: CLEANING REQUIREMENTS

1369 Thrush Street Custom Models Manual

P.O. Box 8251 COMMENT:

FAX:

Green Bay WI54308 Acceptance by each installation.

N. L. Johnson, Inc. MODEL: CLEANING REQUIREMENTS

1933 Cofrin Dr. Custom Models Manual

Green Bay WI54302 COMMENT:

MI48809

TELEPHONE: FAX: Acceptance by each installation. (414) 468-6261

Peterson Fiberglass Laminates MODEL: CLEANING REQUIREMENTS

COMMENT:

P.O. Box 158 Custom Models Manual

Shell Lake WI54871-0158

TELEPHONE: FAX: Acceptance by each installation.

Process Equipment Co. MODEL: CLEANING REQUIREMENTS

500 Reed Road Filiment Wound Tank Manual

TELEPHONE: FAX: COMMENT:
These tanks are acceptable for use for brine solutions and salt

slurries only. They are NOT acceptable for milk or milk

products.

Bulk Handling Equipment - Cheese

Elten Engineering Inc. - Swiss MODEL: CLEANING REQUIREMENTS

P.O. Box 15 Custom Models Manual

Barnevald COMMENT:

Holland 3770 AA This equipment generally consists of conveyors, mechanical shelving, self-cleaning devices and associated mechanisms.

Acceptance by each installation.

Hughes Company, Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 280 Custom Models Manual

Columbus WI53925-0280 COMMENT:

TELEPHONE: FAX: Barrel lift and tipping units. Acceptance by each installation.

Butter Churn - Continuous

(414) 351-0700

TELEPHONE:

(201) 767-3900

MODEL: **CLEANING REQUIREMENTS** Ivarson, Inc.

MC 19, MC 30 Partial CIP P.O. Box 23290

3100 West Green Tree Road **COMMENT:**

(414) 351-4551

Milwaukee WI53209-0290 Simone-Freres Contimab churns

TELEPHONE: FAX:

MODEL: Pasilac **CLEANING REQUIREMENTS**

HCT 1.0, HCT 1.5, HCT 2.0 Partial CIP P.O. Box 320

Silkeborg

COMMENT: Denmark DK-8600

FAX:

Westfalia Separator, Inc. **CLEANING REQUIREMENTS** Westfalia BUD-2500-USDA Partial CIP

MODEL:

100 Fairway Court

Northvale NJ07647 **COMMENT: TELEPHONE:** FAX:

(201) 784-4331

Can Opening Equipment

Edlund Company Inc. MODEL: CLEANING REQUIREMENTS

1020 Manual 159 Industrial Parkway

Burlington VT05401-5437 **COMMENT:**

TELEPHONE: FAX:

Centrifuge - Basket

The Western States Machine Co. MODEL: CLEANING REQUIREMENTS

1798 Fairgrove Ave. CP-30 Full CIP

Hamilton OH45011-1962 COMMENT:

TELEPHONE: FAX:

Cheese Vat

TELEPHONE:

TELEPHONE:

TELEPHONE:

The Netherla

Alfa Laval Cheese Systems Ltd. MODEL: CLEANING REQUIREMENTS

Penn Grove House OST IV Partial CIP

3 Penn Hill COMMENT:

FAX:

FAX:

FAX:

8901 BD

Yeovil, Somerset With or without a curd strainer assembly.

Great Britain BA201SF

Alfa Laval Cheese Systems Ltd. MODEL: CLEANING REQUIREMENTS

Penn Grove House Alfavat IV Partial CIP

3 Penn Hill COMMENT:

Yeovil, Somerset With or without a curd strainer assembly.

Great Britain BA201SF

Scherping Systems MODEL: CLEANING REQUIREMENTS

Scherping Systems MODEL: CLEANING Autovat Partial CIP

801 Kingsley Street

P.O. Box 10
Winsted MN55395-0010

COMMENT:

TELEPHONE: **FAX**: (320) 485-4401 (320) 485-2666

Tetra Pak Cheese Systems MODEL: CLEANING REQUIREMENTS

Equipment Acceptance Certificate.

200 South Park Boulevard OST Full CIP

Greenwood IN46143

COMMENT:

Tetra Pak Tebel MODEL: CLEANING REQUIREMENTS

Zwettestraat 30,PO Box370 Mark IV Draining Vat Partial CIP

Zwellestraat 50,1 O Box570

8901 DB COMMENT:

Leeuwarden

TELEPHONE: **FAX**: 31-(0)582332900 31-(0)582332998

Tuchenhagen Damrow, Inc.

196 Western Avenue

P.O. Box 750

Fond Du Lac WI54936-0750

FAX:

(920) 922-1502

TELEPHONE:

(920) 922-1500

MODEL: **CLEANING REQUIREMENTS** Double O

Partial CIP

COMMENT:

Collators - Cheese

Tuchenhagen Damrow, Inc. MODEL: CLEANING REQUIREMENTS

196 Western Avenue Manual

P.O. Box 750

Fond Du Lac WI54936-0750

TELEPHONE: FAX:

(920) 922-1500 (920) 922-1502

COMMENT:

Collector - Bag Type

MODEL: **CLEANING REQUIREMENTS**

100-WMWC-180(I) Partial CIP

PO Box 800

Hwy W. 301 South

Sharpsburg NC27878 **TELEPHONE:** FAX:

(919) 977-6760

COMMENT:

Acceptance by each installation.

MODEL: **CLEANING REQUIREMENTS** Amerex Inc.

Custom Models Partial CIP P.O. Box 1093

Woodstock GA30188-1093 **COMMENT:**

TELEPHONE: FAX: Acceptance by each installation.

MODEL: Chicago Conveyor Corp. **CLEANING REQUIREMENTS**

Custom Models Partial CIP 330 LaLonde Avenue

Addison IL60101-3309 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

MODEL: **CLEANING REQUIREMENTS** Hammerlund Manufacturing Co.

Custom Models Partial CIP 607 2nd Street South

Hopkins MN55343-7664 **COMMENT:**

TELEPHONE: FAX: Acceptance by each installation.

Mikro Pul MODEL: **CLEANING REQUIREMENTS**

420-S-10-20-TRH Partial CIP 10 Chatam Road

Summit NJ07901 **COMMENT:**

TELEPHONE: FAX: Acceptance by each installation.

(201) 273-6360

MODEL: **CLEANING REQUIREMENTS** Sterner Industries

Custom Models Partial CIP PO Box 70

Winsted MN55395 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

(612) 485-4161

Collector - Filter Materials and Bags

Thompson, Hine and Flory

MODEL: CS-17 FWP

COMMENT:

CLEANING REQUIREMENTS

1920 N. Street, N.W.

DC20036-1601

Manual

TELEPHONE:

Washington

FAX:

(202) 331-8800 (202) 331-8330

Conveyors - Auger Type

Chicago Conveyor Corp. MODEL: CLEANING REQUIREMENTS

330 LaLonde Avenue Custom Models Manual

Addison IL60101-3309 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

Custom Fabricating & Repair MODEL: CLEANING REQUIREMENTS

1932 East 26th Street Partial CIP

P.O. Box 296 COMMENT:

FAX:

Marshfield WI54449-0296

(715) 384-3768

Marchant Schmidt, Inc.

MODEL: CLEANING REQUIREMENTS

P.O. Box 1839 MS 3100 Full CIP

24 West Larsen

Fond du Lac WI54936-1839

TELEPHONE: FAX:

(920) 921-4760 (920) 921-9640

Stoelting, Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 127 Inclined Cheese Conveyor Manual

502 Highway 67
Kiel WI53042-0127

COMMENT:

TELEPHONE: FAX:

TELEPHONE:

(715) 387-6598

Conveyors - Belt Type

Alpma Alpenland Machinenbau MODEL: CLEANING REQUIREMENTS

PostFach 20, D-83540 4400 Manual

Rott am INN COMMENT:

Germany D-83540

TELEPHONE: FAX:

49-80-39-401-180 49-80-39-401-211

Alpma Alpenland Maschinenbau MODEL: CLEANING REQUIREMENTS

Postfach 20 SB230 Manual

D-83540 Rott am Inn COMMENT:

Germany

TELEPHONE: FAX:

AM-Pac Equipment, Inc. MODEL: CLEANING REQUIREMENTS

2725 19th Street SE Rabbit-eared Manual

Salem OR97302

TELEPHONE: FAX:

(503) 371-7435

Clayton H. Landis Company Inc MODEL: CLEANING REQUIREMENTS

RTFC-***-** Manual

Souderton PA18964

TELEPHONE: FAX:

(215) 723-7284 (215) 723-9115

Custom Fabricating & Repair MODEL: CLEANING REQUIREMENTS

1932 East 26th Street Sanitary (Cheese) Manual

1932 Last Zotil Offeet

P.O. Box 296 COMMENT:

(715) 384-3768

Marshfield WI54449-0296

FAX:

TELEPHONE:

(715) 387-6598

Hart Design & Manufacturing MODEL: CLEANING REQUIREMENTS 109401, 109402 Manual

P.O. Box 8002 109401, 109402 Manual

Green Bay WI54308-8002 COMMENT:

TELEPHONE: FAX: Serial Numbers: 109401, 109402

MODEL: **CLEANING REQUIREMENTS** Hart Design & Manufacturing TC, Serial No. 79801

COMMENT:

Manual

P.O. Box 8002

Green Bay WI54308-8002

TELEPHONE: FAX:

MODEL: Hart Design & Manufacturing **CLEANING REQUIREMENTS**

TC Manual P.O. Box 8002

Green Bay WI54308-8002 **COMMENT:**

TELEPHONE: FAX:

MODEL: Hayssen **CLEANING REQUIREMENTS**

Manual 225 Spartangreen Boulevar

Duncan SC29334 COMMENT:

TELEPHONE: FAX:

MODEL: Intralox Inc. **CLEANING REQUIREMENTS**

800 Open Hinge Flat Top Full CIP P.O. Box 50699

New Orleans LA70150-0699 **COMMENT:**

TELEPHONE: FAX: This belt will require an Integral Mechanical Cleaning Device(s).

MODEL: Kamflex Corp. **CLEANING REQUIREMENTS**

814 Manual 555 Kimberly Drive

Carol Stream IL60188-1835 **COMMENT:**

TELEPHONE: FAX: Acceptance for use in brine systems only. (708) 682-1555 (708) 682-9312

CLEANING REQUIREMENTS MODEL: Kamflex Corp.

712 Manual 555 Kimberly Drive

Carol Stream IL60188-1835 COMMENT:

TELEPHONE: FAX:

(708) 682-9312 (708) 682-1555

Carol Stream

MODEL: **CLEANING REQUIREMENTS** Kamflex Corp.

Series 714 Manual

555 Kimberly Drive

IL60188-1835 **COMMENT: TELEPHONE:** FAX:

(708) 682-1555 (708) 682-9312

Kossuth Fabricators Inc.

MODEL:

KOFAB, KF-103

Manual

CLEANING REQUIREMENTS

Manual

Box 520

TELEPHONE:

Algona IA50511-0520 COMMENT:

TELEPHONE: FAX: Acceptance for conveyors with smooth surfaced pullies only.

Niro Hudson MODEL: CLEANING REQUIREMENTS

1600 O'Keefer Road Custom Models Manual

Hudson WI54016 COMMENT: TELEPHONE: FAX: Dry products only.

(715) 386-9371 (715) 386-9376 Acceptance by each installation.

Sani-Weld, Inc. MODEL: CLEANING REQUIREMENTS

1614 Isom Road 2001 Manual

Houston TX77039 COMMENT: TELEPHONE: FAX:

Smalley Manufacturing Co. MODEL: CLEANING REQUIREMENTS

TB-...-..-SS-USDA-3A Manual

Knoxville TN37933-0788 COMMENT:

FAX:

Stoelting, Inc.

MODEL:
No. 70

Manual

P.O. Box 127

502 Highway 67 COMMENT:

Kiel WI53042-0127 Cheese block conveyor.

TELEPHONE: FAX:

The Chantland Company MODEL: CLEANING REQUIREMENTS

P.O. Box 69

Humbolt IA50548 COMMENT:
TELEPHONE: FAX: Dry Products only

(515) 332-4045 Acceptance by each installation.

Conveyors - Belting

Ammeraal Beltech Inc.

3720 Three Mile Road, NW

Grand Rapids

MI49544

TELEPHONE:

FAX:

edges. Change made 08/06/02.

MODEL:

COMMENT:

MODEL:

See Comments

COMMENT:

Ropanyl DM 8/2 04+04 Blue AS FG with sealed edges Ropanyl DM 8/2 A2+04 Blue AS FG with sealed edges Ropanyl DM 8/2 A2+04 White AS FG with sealed edges Ropanyl Dm 8/2 A2+A16 White AS FG with sealed edges

In the past the Model number for this belt was 2M2964 FDA the new Model number is DM 8/2 04+04 White AS FG with sealed

Manual

CLEANING REQUIREMENTS

CLEANING REQUIREMENTS

See Comments Full CIP

Ammeraal Beltech Inc.

3720 Three Mile Road, NW

Grand Rapids

MI49544

FAX:

MO63376

FAX:

TELEPHONE: FAX:

CM Products Company

P. O. Box 3069

35 Craig Martin Court

St. Peters MO63376

TELEPHONE:

(636) 928-8345

MODEL:

COMMENT:

CLEANING REQUIREMENTS WET, Clear 55, BET

Full CIP

CM Products Company

P. O. Box 3069

35 Craig Martin Court

St. Peters

TELEPHONE:

(636) 928-8345

MODEL:

COMMENT:

CLEANING REQUIREMENTS

WET, Clear 55, BET Full CIP

P. O. Box 3069

35 Craig Martin Court

CM Products Company

St. Peters MO63376

FAX: **TELEPHONE:**

(636) 928-8345

MODEL:

CLEANING REQUIREMENTS

MVP Full CIP

COMMENT:

DSM Engineering Plastics

26877 Northwestern Hwy

Suite 410

Southfield MI48034 **TELEPHONE: FAX:**

(810) 799-3506 (810) 827-6605

Habasit AG

Romerstrasse 1

CH-4153 Reinach-Basel

Switzerland Switzerland

TELEPHONE: FAX:

41-61-715-15-15 41-61-715-15-55

Habasit AG

Romerstrasse 1

CH-4153 Reinach-Basel

Switzerland Switzerland

TELEPHONE:

41-61-715-15-15 41-61-715-15-55

FAX:

Habasit AG

Romerstrasse 1

CH-4153 Reinach-Basel

Switzerland Switzerland

TELEPHONE: FAX:

41-61-715-15-15 41-61-715-15-55

Habasit AG

Romerstrasse 1

CH-4153 Reinach-Basel

Switzerland Switzerland

TELEPHONE: FAX:

41-61-715-15-15 41-61-715-15-55

MODEL: CLEANING REQUIREMENTS

Manual

COMMENT:

MODEL: CLEANING REQUIREMENTS

CNB-5EVWW Full CIP

COMMENT:

MODEL: CLEANING REQUIREMENTS

See Comments Full CIP

COMMENT:

M2510U05, M2510U10, M2510U20 basic modules;

M2510F02, M2510F05, M2510F07 flights with one side ribbed, and one side streamline. These belts will be accepted on a case be case bases. Acceptance for use is in conjunction with an

automatic cleaning device.

MODEL: CLEANING REQUIREMENTS

See Comments Full CIP

COMMENT:

M1233, M2511, M2530, M2533 with or without flights, M2540 with and without flights and bottom catches, M3840 with or without flights, M5011, M5013, M5014. Acceptance for use with

an automatic cleaning system.

MODEL: CLEANING REQUIREMENTS

See Comments Full CIP

COMMENT:

M2510U05, M2510U10, M2510U20, M2510F02, M2510F05, M2510F07. Acceptance for use with an automatic cleaning

system.

MODEL: Habasit AG **CLEANING REQUIREMENTS** CNB-5EVWW

Full CIP

Romerstrasse 1

CH-4153 Reinach-Basel **COMMENT:**

Switzerland Acceptance for use with an automatic cleaning device.

Switzerland

TELEPHONE: FAX:

41-61-715-15-15 41-61-715-15-55

MODEL: Habasit AG **CLEANING REQUIREMENTS**

FNB-6EV Full CIP Romerstrasse 1

CH-4153 Reinach-Basel **COMMENT:**

Switzerland Switzerland

TELEPHONE: FAX:

41-61-715-15-55 41-61-715-15-15

Habasit AG MODEL: **CLEANING REQUIREMENTS**

FNB-12EVCQ(XVT-2076) Full CIP Romerstrasse 1

CH-4153 Reinach-Basel COMMENT:

Switzerland Acceptance for use with an automatic cleaning device.

Switzerland

Suwanee

TELEPHONE: FAX:

41-61-715-15-15 41-61-715-15-55

MODEL: Habasit Belting, Inc. **CLEANING REQUIREMENTS**

FNB-12EVCQ (XVT-2076) Full CIP 305 Satellite Boulevard

Suwanee GA30024 **COMMENT:**

TELEPHONE: FAX:

MODEL: Habasit Belting, Inc. **CLEANING REQUIREMENTS**

FNB-6EV Full CIP 305 Satellite Boulevard

Suwanee GA30024 **COMMENT:**

TELEPHONE: FAX: Acceptance for use with an automatic cleaning device.

Habasit Belting, Inc. MODEL: **CLEANING REQUIREMENTS**

Full CIP 305 Satellite Boulevard

COMMENT: **TELEPHONE:** FAX:

GA30024

Intralox Inc.

MODEL:
CLEANING REQUIREMENTS
1100
Full CIP

P.O. Box 50699

New Orleans LA70150-0699 COMMENT:

TELEPHONE: FAX: Acceptance in conjunction with an automatic cleaning divice.

Series 800

Intralox Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 50699

New Orleans LA70150-0699 COMMENT:

TELEPHONE: FAX: Flat Top and Perforated Flat Top styles.

Acceptance in conjunction with an automatic cleaning device.

Intralox Inc. MODEL: CLEANING REQUIREMENTS

COMMENT:

P.O. Box 50699 Series 200, 300 Full CIP

New Orleans LA70150-0699

TELEPHONE: FAX: Series 200 - Open Hinge

Series 300 - Flat Top, Perforated, HD Flat Top, HD Perforated

Acceptance for use in conjunction with an automatic cleaning

Full CIP

device.

Intralox Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 50699 2200 Full CIP

New Orleans LA70150-0699

TELEPHONE: FAX: COMMENT:

Acceptance for use in conjunction with an automatic cleaning

device.

Intralox Inc. MODEL: CLEANING REQUIREMENTS

2400 Full CIP

P.O. Box 50699

New Orleans LA70150-0699 COMMENT:

TELEPHONE: FAX: Also reviewed S800 Flush Grid, 800 Mesh Top, and 1800 Fat

Top Series Belt.

Intralox Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 50699 SI800 Flat Top, Flight Full CIP

New Orleans LA70150-0699 COMMENT:

TELEPHONE: FAX:

Intralox Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 50699 800 Open Hinge Flat Top Full CIP

New Orleans LA70150-0699 COMMENT:

TELEPHONE: FAX: This belt require an Integral Mechanical Cleaning Device(s).

MODEL: **CLEANING REQUIREMENTS** Intralox Inc. 1500 Flush Grid

COMMENT:

Full CIP

P.O. Box 50699

New Orleans LA70150-0699

TELEPHONE: FAX:

MODEL: Leder Beltech AG **CLEANING REQUIREMENTS**

Full CIP Buechstr. 37

Jona-Rapperswil

(616) 453-2484

(216) 335-2371

COMMENT: Switzerland Ch-8645 Model Numbers: 400012 HFM 3.0 Blue

TELEPHONE: FAX:

41-55-225-36-36 41-55-225-35-35

MODEL: **CLEANING REQUIREMENTS**

400013 HFM 2.0 Blue

400002 HFM 3.0/S 400003 HFM 2.0/S 400001 HFH 3.0

Mol Belting Company Thermoking Full CIP 2532 Waldorf Court, N.W.

Grand Rapids MI49504 **COMMENT:**

TELEPHONE: FAX: Series Ture-2, 3, Tut-1.5, 2, 3, 4 and Tub-2, 3.

(616) 453-2484 (616) 453-2008

MODEL: Mol Belting Company **CLEANING REQUIREMENTS**

TPH-2, TPH-3, TPH-4 Full CIP 2532 Waldorf Court, N.W.

Grand Rapids MI49504

COMMENT: TELEPHONE: FAX:

(616) 453-2008

MODEL: **CLEANING REQUIREMENTS** Novex

FG-90/85 K Full CIP

258 Main Street

Wadsworth OH44281 **COMMENT:**

TELEPHONE: FAX: (216) 336-8934

MODEL: **CLEANING REQUIREMENTS** Ontario Belting and Power

Manual

Transmission Co., Ltd.

371 Hanlan Road **COMMENT:** Woodbridge ON Models:

PCW 100 S x SB Canada L4L3T1

PCWH 200 S x SB **TELEPHONE:** FAX: (905) 851-6651 (416) 743-7196

MODEL:

COMMENT:

Rainbow/Ram Industrial Product

10 Mac Arthur Road

PA19605 Reading

TELEPHONE: FAX:

(610) 373-1400 (800) 426-5751

Full CIP

Tan 040 TPU, Polyflex 20H, Polyflex 30H, and Polyflex 40H.

CLEANING REQUIREMENTS

MODEL: **CLEANING REQUIREMENTS** Rainbow/Ram Industrial Product

208 Full CIP 10 Mac Arthur Road

Reading PA19605 **COMMENT:**

TELEPHONE: FAX: Belt shall be used with a CIP cleaning device.

(610) 373-1400 (800) 426-5751

MODEL: S.P.C. Volta **CLEANING REQUIREMENTS**

FHW, RHW, VHW Full CIP 100 Bomont Place

Totowa NJ07512

TELEPHONE: FAX:

(610) 825-5500

(610) 825-5500

(201) 785-1700 (201) 785-9899

MODEL: **CLEANING REQUIREMENTS** Shingle Belting

COMMENT:

Full CIP 420 Drew Court

King of Prussia PA19405-2608 **COMMENT:**

TELEPHONE: FAX: Model: Polyflex 20S Tan, Polyflex 30S Tan,

(610) 825-5500 (610) 825-0315 Polyflex 40S Tan

MODEL: **CLEANING REQUIREMENTS** Shingle Belting Hi-Cap

Full CIP 420 Drew Court

PA19405-2608 King of Prussia

COMMENT: TELEPHONE: FAX: (610) 825-0315

MODEL: **CLEANING REQUIREMENTS** Shingle Belting

Full CIP

420 Drew Court

King of Prussia PA19405-2608 **COMMENT:**

TELEPHONE: FAX:

(610) 825-0315

MODEL: Shingle Belting **CLEANING REQUIREMENTS**

See Below Full CIP

420 Drew Court

COMMENT:

King of Prussia PA19405-2608

TELEPHONE: FAX: Ployflex 20S blue, 30S blue, and 40S blue.

(610) 825-0315 (610) 825-5500

MODEL: Sparks Belting Co. **CLEANING REQUIREMENTS** Foodthane 90 Manual

COMMENT:

3800 Stahl Drive S. E.

P.O. Box 2647

Grand Rapids MI49501-2647

TELEPHONE:

(864) 605-0076

(864) 605-0076

TELEPHONE:

FAX:

(616) 949-8518 (616) 949-2750

MODEL: Superior Belting Co., Inc **CLEANING REQUIREMENTS**

MVG Full CIP 6 Andrews Street

Greenville SC29601 **COMMENT:**

TELEPHONE: FAX:

MODEL: Superior Belting Company **CLEANING REQUIREMENTS**

WET & Clear 55 Full CIP 6 Andrews Street

P.O. Box 8678

COMMENT: Greenville SC29601

(864) 269-9754

TELEPHONE: FAX:

Superior Belting Company MODEL: **CLEANING REQUIREMENTS**

MVP Full CIP

6 Andrews Street

P.O. Box 8678 **COMMENT:**

Greenville SC29601 **TELEPHONE:** FAX:

(864) 269-9754

MODEL:

UNI Chains Manufacturing, Inc. **CLEANING REQUIREMENTS** See Comments Full CIP

500 Brentwood Drive

Reading PA19611 COMMENT:

TELEPHONE: FAX: SNB,OPB,4,4V,23%.36%, 8, 8-Solid (610) 372-1800 (610) 372-3590

MODEL: **CLEANING REQUIREMENTS** Volta International

FMW, RMW, VMW Manual

Belting Division

315 Fairfield Road

COMMENT: Fairfield NJ07004

FAX:

W. L. Deckert Co. Inc.

6353 Noth 64th Street

Milwaukee

WI53218

TELEPHONE: FAX:

MODEL: WLD20WU **CLEANING REQUIREMENTS**

Full CIP

COMMENT:

See DP-55186, Project Number 10874 for billing information.

Conveyors - Bucket Type

Allen Machinery Company MODEL: CLEANING REQUIREMENTS

P.O. Box 469

Newberg OR97132-0469 COMMENT:

TELEPHONE: FAX: (503) 831-4141 (503) 538-8575

Smalley Manufacturing Co. MODEL: CLEANING REQUIREMENTS

P.O. Box 22788 See comments section Manual

Knoxville TN37933-0788 COMMENT: TELEPHONE: FAX: Models:

IP-***-***-SS/USDA/DAIRY LP-***-***-SS/USDA/DAIRY

LP-***-***-SS/USDA/DAIRY SP-***-***-SST/USDA/DAIRY

Conveyors - Cheese Curd

MDF, Millerbernd Design & Fab. MODEL: CLEANING REQUIREMENTS

P.O. Box 37

330 6th. Street. South

FAX:

Winsted MN55395-0037 Cheese collection cyclone.

(320) 485-2685 (320) 485-3900

Savel Technologies Inc. MODEL: CLEANING REQUIREMENTS

1911 Curvecrest Boulevard

P.O. Box 470 COMMENT:

Stillwater MN55082 Style B diverter Valve

TELEPHONE: FAX: (651) 351-7818

TELEPHONE:

Conveyors - Flexible

Hapman Conveyor Co.

6002 East Kilgore Road

Kalamazoo

MI49003

TELEPHONE: FAX:

MODEL: Helix 3_A

EL: CLEANING REQUIREMENTS

Manual

COMMENT:

Conveyors - Indexing

Bemis Machinery Co. MODEL: CLEANING REQUIREMENTS

COMMENT:

Auto-Dex Manual

P.O. Box 19043

Green Bay WI54307-9043 Any serial number higher than 525089.

TELEPHONE: FAX:

Hart Design & Manufacturing MODEL: CLEANING REQUIREMENTS

P.O. Box 8002 ICC-Indexing, FC Manual

Green Bay WI54308-8002

TELEPHONE: FAX:

Hi-Speed Checkweigher Co. Inc. MODEL: CLEANING REQUIREMENTS

605 West State Street Manual

Ithaca NY14850-3307 COMMENT:

TELEPHONE: FAX: Models:

LCSD8___USD LDS8___USD MFD8___USD CFS34___SD

Hi-Speed Checkweigher Co. Inc. MODEL: CLEANING REQUIREMENTS

MFD3___USD, MFDA Manual

Ithaca NY14850-3307

TELEPHONE: FAX:

Hi-Speed Checkweigher Co. Inc. MODEL: CLEANING REQUIREMENTS

605 West State Street Manual

ous west state street

Ithaca NY14850-3307

TELEPHONE: FAX: COMMENT:

MED3 USD MED8 USD LCSD8

TELEPHONE: FAX: MFD3__USD, MFD8__USD, LCSD8__USD, LDS8__USD

Conveyors - Packaged Product

Kamflex Corp. MODEL: CLEANING REQUIREMENTS

Series 814 Manual 555 Kimberly Drive

Carol Stream IL60188-1835 COMMENT: TELEPHONE: FAX:

(708) 682-1555 (708) 682-9312

Kamflex Corp. MODEL: CLEANING REQUIREMENTS 812 Manual

555 Kimberly Drive

Carol Stream IL60188-1835 COMMENT:

TELEPHONE: FAX: (708) 682-1555 (708) 682-9312

Conveyors - Pneumatic

Vac-U-Max MODEL: CLEANING REQUIREMENTS

37 Rutgers Street

Belleville NJ07109-3148 COMMENT:

TELEPHONE: **FAX**: The following components can be used in various combinations

depending on customer system needs.

Receivers: USDA01, USDA02, USDA03, USDA 04, USDA05

Filter Assemblies: USDA06, USDA07

Feed Bins: USDA08

Conveyors - Powered Rollers

MODEL: Sparks Belting Co. **CLEANING REQUIREMENTS**

Dura Drive Plus-3A Manual 3800 Stahl Drive S. E.

P.O. Box 2647 **COMMENT:**

FAX:

TELEPHONE:

(616) 949-2750

TELEPHONE:

(416) 793-8100

Grand Rapids MI49501-2647

(616) 949-8518

MODEL: **CLEANING REQUIREMENTS** Sparks Belting Co. **Dura Drive Plus-S** Full CIP

3800 Stahl Drive S. E.

P.O. Box 2647 **COMMENT:**

Grand Rapids MI49501-2647

(616) 949-8518

FAX:

(616) 949-2750

MODEL: Van Der Graaf Canada Inc **CLEANING REQUIREMENTS**

TH127, TH160 Manual 2 Van Der Graaf Court

Brampton ON **COMMENT:**

Canada L6T 5R6 **TELEPHONE:** FAX:

FAX:

(416) 793-8129

MODEL: Van Der Graaf Canada Inc **CLEANING REQUIREMENTS**

TM 125, TM 127, TM 160 Manual

2 Van Der Graaf Court

Brampton ON

COMMENT: Canada L6T 5R6

TELEPHONE: (416) 793-8100 (416) 793-8129

Conveyors - Vacuum

PIAB USA, Inc. MODEL: CLEANING REQUIREMENTS

65 Sharp Street See Comments Manual

Hingham MA02043 COMMENT:

TELEPHONE: FAX: C2101S-100, 200, C2102S-100, 200, 400, C2104S-100, 200,

400, 600

PIAB USA, Inc. MODEL: CLEANING REQUIREMENTS

65 Sharp Street See Comments Manual

Hingham MA02043 COMMENT:

TELEPHONE: **FAX**: C3301S-100, 200, C3302S-100, 100, 400, C3304S-100, 200,

400, 600, 800, C3306S-100, 200, 400, 800, 1200

Fluidized Cone: 01.00.C604

PIAB Vacuum Conveyors MODEL: CLEANING REQUIREMENTS

65 Sharp Street Manual

Hingham MA02043 COMMENT: TELEPHONE: FAX:

(800) 321-7422 (781) 337-6864

Conveyors - Vibrating

Carrier Vibrating Equipment, 3400 Fern Valley Road

P.O. Box 37070

Louisville KY10233-7070

FAX:

TELEPHONE:

(502) 969-3171 (502) 969-3172

MODEL: CLEANING REQUIREMENTS
Custom Models Manual

COMMENT:

Acceptance by each installation.

Conveyors - Weigh Belt

TELEPHONE:

MODEL: Hi-Speed Checkweigher Co. Inc. **CLEANING REQUIREMENTS**

HEC-85, MFD Manual 605 West State Street

NY14850-3307 Ithaca **COMMENT:**

FAX:

CLEANING REQUIREMENTS

MODEL:

Powell Systems, Inc. **AWC 350** Manual P.O. Box 345

Fowler IN47944 **COMMENT: TELEPHONE:** FAX:

(317) 884-0613

MODEL: System Engineering & Mfg. **CLEANING REQUIREMENTS**

WB/WF-1210-_ _ Manual 1144 Post Road

Oakdale CA95361 COMMENT:

TELEPHONE: FAX: The blank at the end of the model number indicates the size, 18,

(209) 848-3912 (209) 848-3917 24, 30, and 36.

Conveyors-Sprockets

Habasit AG

Romerstrasse 1

CH-4153 Reinach-Basel

Switzerland Switzerland

TELEPHONE: FAX:

41-61-715-15-15 41-61-715-15-55

MODEL: CLEANING REQUIREMENTS

See Comments Full CIP

COMMENT:

M50S0840Q, M50S1040Q, M50S1240Q, M50S1640Q and, M12S2425Q - Acceptance for use with an automatic cleaning

device.

Cooker - Process Cheese

Beaver Metals Inc.

TELEPHONE:

Advanced Process Technigy Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 32283 SRB500,750,1000 Manual

Cincinnati OH45232-0283 COMMENT: TELEPHONE: FAX:

FAX:

CLEANING REQUIREMENTS

MODEL:

900 Green Valley Road UX-1, UX-2 Manual

Beaver Dam WI53916-1160

COMMENT:

Stephan Machinery Co. MODEL: CLEANING REQUIREMENTS

1775 Westbelt Drive Partial CIP

Columbus OH43228-3811 COMMENT: TELEPHONE: FAX: TC.....USDA

TC/SK....USDA

Curd Conditioner

Marchant Schmidt, Inc.

P.O. Box 1839

24 West Larsen

Fond du Lac WI54936-1839

TELEPHONE:

FAX: (920) 921-4760 (920) 921-9640

Marchant Schmidt, Inc.

P.O. Box 1839

24 West Larsen

Fond du Lac WI54936-1839

FAX: **TELEPHONE:**

(920) 921-4760 (920) 921-9640 MODEL: **CLEANING REQUIREMENTS**

TD Tumble Drum Partial CIP

COMMENT:

Model Number are designated as TM****

1st two * = Diameter of the drum 2nd two * = Length of the drum.

MODEL: **CLEANING REQUIREMENTS**

MS2500 Manual

COMMENT:

Inspection of curd washer.

Cutter - Cheese

MODEL: **Blake Corporation CLEANING REQUIREMENTS**

1500 Manual P.O. Box 49

Zachow WI54182 COMMENT:

TELEPHONE: FAX: Hand operated. Plastic coated cables required.

MODEL: **CLEANING REQUIREMENTS Blake Corporation**

EZY-Way Manual P.O. Box 49

Zachow WI54182

TELEPHONE: FAX:

MODEL: Econo Cheese Equipment Inc. **CLEANING REQUIREMENTS**

COMMENT:

COMMENT:

See Comment Manual P.O. Box 403

Westfield WI53964-0403

TELEPHONE: FAX: Includes: Model E4 - Cheese Tumbler

Model E5 - Belt Conveyor

Model E6 - Bulk Cheese Conveyor

Model E8 - Cheese Clamp Model E9 - Cheese Clamp Model E10 - Bulk Cheese Cutter Model E11 - Bulk Cheese Cutter

Model E13 - Cheese Slab Clamp

MODEL: **CLEANING REQUIREMENTS** Hart Design & Manufacturing

Barrel Cutter Partial CIP P.O. Box 8002

Green Bay WI54308-8002

COMMENT: TELEPHONE: FAX:

MODEL: Hart Design & Manufacturing **CLEANING REQUIREMENTS**

40 Pound Block Cutter Full CIP P.O. Box 8002

Green Bay WI54308-8002 **COMMENT: TELEPHONE:** FAX:

MODEL: Hart Design & Manufacturing **CLEANING REQUIREMENTS**

CO, Serial No. 79802 Manual P.O. Box 8002

WI54308-8002 **COMMENT: TELEPHONE:** FAX:

Green Bay

Hart Design & Manufacturing MODEL: CLEANING REQUIREMENTS
CO Manual

P.O. Box 8002

(608) 846-5711

Italy

Green Bay WI54308-8002 COMMENT:

TELEPHONE: FAX:

Johnson/Nelles Corporation MODEL: CLEANING REQUIREMENTS

6391 Lake Road 4002-st Manual

Windsor WI53598 COMMENT:

TELEPHONE: FAX:

(608) 846-7195

M. M. Muzzarelli Modena s.r.i MODEL: CLEANING REQUIREMENTS

Via Galileo Galilei, 162 MM D24 Manual

Modena COMMENT:

41100

TELEPHONE: FAX:

Marchant Schmidt, Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 1839

24 West Larsen

Fond du Lac WI54936-1839 COMMENT:
Review of a cheese pre-cuber.

TELEPHONE: FAX: (920) 921-4760 (920) 921-9640

Decanter

Tema Systems Inc.

7806 Redsky Drive

Cincinnati OH45249-1632

FAX:

TELEPHONE:

MODEL: Conterbex H450

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Draining and Salting Conveyor

North American Process Systems

819 Estes Ave

Schaumburg

IL60193

TELEPHONE:

FAX:

Scherping Systems

801 Kingsley Street

P.O. Box 10

Winsted

MN55395-0010

TELEPHONE:

(320) 485-4401

FAX:

(320) 485-2666

Tuchenhagen Damrow, Inc.

196 Western Avenue

P.O. Box 750

Fond Du Lac WI54936-0750

TELEPHONE:

(920) 922-1500

FAX: (920) 922-1502 MODEL: **CLEANING REQUIREMENTS**

Custom Models Partial CIP

COMMENT:

Acceptance by each installation.

MODEL: **CLEANING REQUIREMENTS**

Custom Models Partial CIP

COMMENT:

Acceptance by each installation.

MODEL: **CLEANING REQUIREMENTS**

DMC Partial CIP

COMMENT:

Drier - Fluid Bed

(502) 969-3171

TELEPHONE:

Carrier Vibrating Equipment, MODEL: CLEANING REQUIREMENTS

3400 Fern Valley Road Custom Models Partial CIP

P.O. Box 37070 COMMENT:

(502) 969-3172

Louisville KY10233-7070 Acceptance by each installation.

TELEPHONE: FAX:

Carrier Vibrating Equipment, MODEL: CLEANING REQUIREMENTS

QAC 4860 S Partial CIP

P.O. Box 37070

Louisville KY10233-7070

FAX:

(502) 969-3171 (502) 969-3172

Niro Hudson MODEL: CLEANING REQUIREMENTS

1600 O'Keefer Road Full CIP

Hudson WI54016 COMMENT:

TELEPHONE: FAX: Review of a sanitary damper for mechanical cleaning. (715) 386-9371 (715) 386-9376

Drier - Spray

APV Crepaco Inc. MODEL: CLEANING REQUIREMENTS

395 Fillmore Ave Custom Models Full CIP

Tonawanda NY14150-0366 COMMENT:

TELEPHONE: FAX: Acceptance by each installation. (716) 692-3000 (716) 692-6461

Niro Hudson MODEL: CLEANING REQUIREMENTS

1600 O'Keefer Road Filtermat Full CIP

Hudson WI54016 COMMENT: TELEPHONE: FAX:

(715) 386-9371 (715) 386-9376

Drying Shelf and Rack

MODEL: N. L. Johnson, Inc. **CLEANING REQUIREMENTS**

Cheese Shelves Manual 1933 Cofrin Dr.

Green Bay WI54302 **COMMENT:**

TELEPHONE: FAX: Board shall be completely covered with resin with no exposed

(414) 468-6261 fibers.

MODEL: **CLEANING REQUIREMENTS** Peterson Fiberglass Laminates

Cheese Drying Shelf Manual P.O. Box 158

Shell Lake WI54871-0158

COMMENT: **TELEPHONE:** FAX: Boards are to be completely covered with resin with no exposed

fibers.

Oconto

Streamline Fiberglass Prod Inc MODEL: **CLEANING REQUIREMENTS**

Racking Rod System Manual

P.O. Box 144

WI54153-0144 **COMMENT: TELEPHONE:** FAX:

Dump Equipment - Bags

Nu-Con Equipment MODEL: CLEANING REQUIREMENTS

Manual

1600 Lake Drive West

Chanhassen MN55317 COMMENT:

TELEPHONE: FAX: Acceptance by each installation. (952) 279-5210 (952) 279-5206

Spiroflow-Orthos Systems, Inc MODEL: CLEANING REQUIREMENTS

2806 Gray Fox Road T2 - (Dairy) Manual

Monroe NC28110 COMMENT:

TELEPHONE: FAX: These units are accepted by each installation only. (704) 291-9595 (704) 291-9594

Vac-U-Max MODEL: CLEANING REQUIREMENTS

USDAD09 Manual

37 Rutgers Street

Belleville NJ07109-3148

TELEPHONE: FAX:

Dump Equipment - Bulk Bin

Tote Systems Inc. MODEL: CLEANING REQUIREMENTS

Manual

P.O. Box 2916

Fort Worth TX76113-2916 COMMENT:

TELEPHONE: FAX: Acceptance includes both the Tote Dump Station and the

Y-Spout Tilt Station.

Enclosed Chilling Systems - Mozzarella

Stainless Steel Fabricating MODEL: CLEANING REQUIREMENTS

202 Industrial Drive SMC-2 Partial CIP

Columbus WI53925-1016 COMMENT:

WI54115-9265

FAX:

TELEPHONE:

De Pere

(920) 623-3003

Viking Machine & Design MODEL: CLEANING REQUIREMENTS

1408 Viking Lane Full CIP

TELEPHONE: FAX:

COMMENT:

Viking Machine & Design MODEL: CLEANING REQUIREMENTS

1408 Viking Lane 001 Hydraform Moulder Partial CIP

De Pere WI54115-9265 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

Milkfat and solids reclaimed from cooling solution is not eligible

for human food.

for human foc

Expansion Chamber - Butter

Goodway Industries Inc. MODEL: CLEANING REQUIREMENTS

175 Orville Drive

Bohemia NY11716-2503 COMMENT:

TELEPHONE: FAX:

Hinds-Bock Corporation MODEL: CLEANING REQUIREMENTS

15459 NE 95th Street SA Accumulator Manual

Redmond WA98052-2548 COMMENT:

TELEPHONE: FAX: Unit used in conjunction with a Hinds-Bock butter packer.

Explosion and Fire Suppression System

BS&B Safety System MODEL: CLEANING REQUIREMENTS

7455 East 46th Street VENT-SAF PLUS Full CIP

Tulsa OK74145 COMMENT:

TELEPHONE: **FAX**: (918) 622-5950 (918) 665-3904

CV Technology, Inc. MODEL: CLEANING REQUIREMENTS

11320 Fortune Circle ERO-Style Full CIP

Suite No. G18 COMMENT:

West Palm Beach FL33414-8742

FAX:

(561) 753-9556 (561) 753-9563

CV Technology, Inc. MODEL: CLEANING REQUIREMENTS

Q-ROHR Manual

Suite No. G18 COMMENT:

West Palm Beach FL33414-8742

(561) 753-9563

TELEPHONE: FAX:

TELEPHONE:

(561) 753-9556

Fenwall, Inc. MODEL: CLEANING REQUIREMENTS

Div. of Kiddie. Inc.

400 Main Street COMMENT:

Ashland MA01721 Pressure Detector, Temperature Sensor,

TELEPHONE: FAX: Halon Injector/Spreader

(617) 881-2000 Activation requires complete clean-up of all equipment surfaces.

Niro Hudson MODEL: CLEANING REQUIREMENTS

1600 O'Keefer Road Explosion Relief Panels Full CIP

Hudson WI54016 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

(715) 386-9371 (715) 386-9376

Fan - Sanitary

Chicago Blower Corp. MODEL: CLEANING REQUIREMENTS

Size 11 Sanitary Full CIP

Glendale Heights IL60139-2503 COMMENT: TELEPHONE: FAX:

General Resource Corp.

MODEL:

CLEANING REQUIREMENTS

Partial CIP

201 Third Street South

Hopkins MN55343-7794 COMMENT: TELEPHONE: FAX:

Wednesday, June 04, 2003

Filters and Stariners

PIAB USA, Inc. MODEL: CLEANING REQUIREMENTS

65 Sharp Street See Comments Manual

Hingham MA02043 COMMENT: TELEPHONE: FAX: Filter Elements

Part Number: 01.04.016, 01.04.017, 01.04.018, PHIHSL 220,

PHIHSL 366, PHIHSL 610

Fines Saver

TELEPHONE:

(414) 563-8461

TELEPHONE:

TELEPHONE:

(320) 485-4401

Blainville

TELEPHONE:

(514) 433-7483

Wednesday, June 04, 2003

MODEL: AZO Inc. **CLEANING REQUIREMENTS**

Rotary Partial CIP P.O. Box 181070

Memphis TN38181-1070 **COMMENT:**

FAX:

MODEL: **CLEANING REQUIREMENTS Hartel Corporation**

Fines Finder Partial CIP 201 N. Main Street

P.O. Box 41 **COMMENT:**

Fort Atkinson WI53538 **TELEPHONE:**

FAX:

FAX:

FAX:

DK 7100

QC

FAX:

(514) 433-7484

(320) 485-2666

MODEL: Russell Finex, Ltd. **CLEANING REQUIREMENTS**

A16900 Partial CIP Browells lane

Feltham, Middlesex

COMMENT: Great Britian TW13 7EQ

CLEANING REQUIREMENTS Scherping Systems CRU7500 Partial CIP

801 Kingsley Street

P.O. Box 10

COMMENT: Winsted MN55395-0010

MODEL: **CLEANING REQUIREMENTS** Schmidt & Jessen A/S

MODEL:

Jesma Roto-Fluid Sieve Full CIP

Niels Finsenvej 4

Vejle **COMMENT:** Denmark

TELEPHONE: FAX:

MODEL: **CLEANING REQUIREMENTS** Sermia International Inc.

Sermia Full CIP 771 Boul, Idustriel

COMMENT: Canada J7C 3V3

Serial Number #373 and higher.

Page 62

Finishing Table - Cheese

Tuchenhagen Damrow, Inc. MODEL: CLEANING REQUIREMENTS

196 Western Avenue EFV Partial CIP

P.O. Box 750

Fond Du Lac WI54936-0750

TELEPHONE: FAX: (220) 222 4522

(920) 922-1500 (920) 922-1502

Fitting - Hose Coupling

Titan Industries

11121 Garfield Avenue

South Gate

CA90280-7505

TELEPHONE: FAX:

MODEL:

3300 HS-NR, 3500 HS

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Fitting - Sanitary

TELEPHONE:

Niro Hudson MODEL: CLEANING REQUIREMENTS

1600 O'Keefer Road RJT Full CIP

Hudson WI54016 COMMENT:

FAX:

(715) 386-9371 (715) 386-9376

Fitting - Sightglass

Clark Reliance Corp. MODEL: CLEANING REQUIREMENTS

16633 Foltz Industrial Py

Strongsville OH44136-5513 COMMENT: TELEPHONE: FAX: Models:

ELEPHONE: FAX: Models:
Tu-San 6000, Tru-San 7000-C

Tru-San 6000 Windows Lexan or acrylic materials only.

Key Industrial Dairy Industry

MODEL: CLEANING REQUIREMENTS

997 Enterprise Way

Napa CA94558-6209 **COMMENT**:

TELEPHONE: FAX: Lexan or pyrex inserts

Floor Drain

Kusel Equipment Co. MODEL: CLEANING REQUIREMENTS

P.O. Box 87 KE-75 Manual

Watertown WI53094-0087 COMMENT:

TELEPHONE: FAX: Stainless Steel sanitary trap floor drain.

Flow Meter

(303) 530-8400

Endress & Hauser Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 246 m-point DQ600, FCO1655 Full CIP

Greenwood IN46142-0246 COMMENT: TELEPHONE: FAX:

Micro Motion, Inc.

MODEL: CLEANING REQUIREMENTS

7070 Winchester Circle

Boulder CO80301 COMMENT:

TELEPHONE: FAX:

Micro Motion, Inc.

MODEL: CLEANING REQUIREMENTS

7070 Winchester Circle T-Series Full CIP

Boulder CO80301 COMMENT:

TELEPHONE: FAX: Review of drawings of the T-Series Mass Flow and density

(303) 530-8400 Meters.

Grinder

Palmer Mfg. Co.

MODEL: **CLEANING REQUIREMENTS** Beaver Metals Inc.

Grinder/Extruder Manual 900 Green Valley Road

Beaver Dam WI53916-1160 **COMMENT: TELEPHONE:** FAX:

MODEL:

CLEANING REQUIREMENTS

600, 675, 850 Manual 550 Main Ave.

Depere WI54115-2207

COMMENT: TELEPHONE: FAX:

Heat Exchanger - Tubular

Schlueter Company

P. O. Box 548

112 East Centerway

Janesville WI53747-0543

TELEPHONE:

FAX:

(800) 359-1703 (608) 755-5450

MODEL: Triple Tube

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Hoops and Moulds

AR Arena Products. Inc.

2101 Mt. Read Blvd.

Rochester NY14615

TELEPHONE: FAX:

(800) 836-2528 (716) 254-1046

MODEL: **CLEANING REQUIREMENTS** Berlon Industries

COMMENT:

cleaning device.

MODEL:

Atlas Shipper

COMMENT:

CLEANING REQUIREMENTS

Full CIP

Acceptance applies to molds with date stamp after 2/92.

Containers accepted only when provided with an automatic

Acceptance requires use in conjunction with an automatic

640 Pound Cheese Box Full CIP 424 Rubicon Street

P.O. Box 502

Old Saybrook

Netherlands

31 5995 4280

Hustisford WI53034-0502

TELEPHONE: FAX:

MODEL: Crellin Inc. **CLEANING REQUIREMENTS**

cleaning device.

20 & 24 Pound Mozzarella Full CIP 87 Center Street

Chatham NY12037-1032

COMMENT: **TELEPHONE:** FAX: Acceptance for use in conjunction with an automatic cleaning

MODEL: J. Nichols Designs **CLEANING REQUIREMENTS**

device.

640 Pound Mold Full CIP

15 Wood Pond Lane

COMMENT: TELEPHONE: FAX:

Acceptance for use in conjunction with an automatic cleaning

device.

CT06475

MODEL: Laude BV - Arend BV **CLEANING REQUIREMENTS**

40 Pound Cheddar Full CIP P. O. Box 85

Ter Apel **COMMENT:**

Netherlands 9580 AB Acceptable for use in conjunction with an automatic cleaning **TELEPHONE:** FAX: device.

Inspection of stainless steeel frame for fabrication defects is 31 5995 4280 31 5995 4472

required.

Laude BV - Arend BV MODEL: **CLEANING REQUIREMENTS**

COMMENT:

Partial CIP P. O. Box 85

Ter Apel

TELEPHONE: FAX: 31 5995 4472

9580 AB

MODEL: Societe DORYL **CLEANING REQUIREMENTS**

Odin Full CIP 43/45 Rue de Tour, BP 27

Langeais

COMMENT: France 37130 Acceptance for use in conjunction with an automatic cleaning

TELEPHONE: device. FAX:

MODEL: Stainless Steel Fabricating **CLEANING REQUIREMENTS**

4-N-1 Full CIP 202 Industrial Drive

WI53925-1016 Columbus COMMENT:

TELEPHONE: FAX:

(920) 623-3003

MODEL: Tetra Pak Tebel **CLEANING REQUIREMENTS**

Swiss Cheese Big Block Full CIP Zwettestraat 30.PO Box370

8901 DB **COMMENT:**

Leeuwarden Acceptance for use in conjunction with an automatic cleaning

The Netherla device. 8901 BD

TELEPHONE: FAX:

31-(0)582332900 31-(0)582332998

MODEL: Vacu-Purg Inc. **CLEANING REQUIREMENTS**

Unibox Manual P.O. Box 272

IA50630-0272 Fredericksburg **COMMENT:**

TELEPHONE: FAX: Stainless steel 640 pound hoop with removable girdle.

(319) 237-5811

Hose - Assembly

(707) 252-1205

MODEL: **CLEANING REQUIREMENTS** Dairy Industry, Inc.

Full CIP 997 Enterprise Way

Napa CA94558 COMMENT:

TELEPHONE: FAX: Vulcanized stainless steel stubs to rubber hose.

MODEL: **Dayco Corporation CLEANING REQUIREMENTS**

EZ-FLO Full CIP 1 Prestige Place

P.O. Box 1004 **COMMENT:**

OH45401-1004 Dayton Couplings: 7674 TESE, 7674 COWL

Ferrule: 7676 SS **TELEPHONE:** FAX:

MODEL: Dixon Valve & Coupling Co. **CLEANING REQUIREMENTS**

Swaged Sanitary Coupling Full CIP 800 High Street

Chestertown MD21620-1135 COMMENT: **TELEPHONE:** FAX:

(301) 778-4702 (301) 778-2000

MODEL: Rostra Engineering Components **CLEANING REQUIREMENTS**

Full CIP

545 Middle Street

P.O. Box 449 COMMENT: **Bristol** CT06011-0449 200-SS-TEFT

200-SS-BS **TELEPHONE:** FAX: 200-SS-BR

MODEL: Sanitary Couplers Inc. **CLEANING REQUIREMENTS**

Full CIP 9151 Normandy Lane

Centerville OH45458-3627

COMMENT: **TELEPHONE:** FAX: ReSeal Couplers:

RE-***-TE, RE-***-TC, RE-***-HS

PermaSeal Couplers:

PM-***-TE, PM-***-TC, PM-***-BS, PM-***-HS

*** represent different sizes.

MODEL: **CLEANING REQUIREMENTS** Sani-Tech

COMMENT:

Sani-Lock SS Fitting Full CIP P.O. Box 1010

Limecrest Road-Long Farm

Andover NJ07821-1010

FAX:

TELEPHONE:

The Gates Rubber Company MODEL: CLEANING REQUIREMENTS

P.O. Box 5887

Denver CO80217-5887 COMMENT:

TELEPHONE: FAX:

Thermo Tech Inc. MODEL: CLEANING REQUIREMENTS

6701 Stapleton Drive N. Full CIP

Denver CO80216-3426 COMMENT:

TELEPHONE: FAX:

Titan Industries MODEL: CLEANING REQUIREMENTS

11121 Garfield Avenue 3200 and 3400 Series Full CIP

South Gate CA90280-7505 COMMENT:

TELEPHONE: FAX: 3400 TE 3400 BS 3400 TC

3200 BS-SR 3200 BS-NR 3200 TC-NR 3200 TC-SR

Hose - Plastic

Denver

Sanitary Couplers Inc. MODEL: CLEANING REQUIREMENTS

9151 Normandy Lane SaniGard Full CIP

Centerville OH45458-3627
TELEPHONE: FAX: COMMENT:

TELEPHONE: FAX: Types:
PSD, GCR, SSW, PVC, DHT, CTL

Thermo Tech Inc. MODEL: CLEANING REQUIREMENTS

Flex/Flo Full CIP

6701 Stapleton Drive N.

TELEPHONE: FAX: COMMENT: Types:

7319, 7336, 7379

CO80216-3426

Sanitron Transfer Hose 3063

Titan Industries MODEL: CLEANING REQUIREMENTS

11121 Garfield Avenue Full CIP

South Gate CA90280-7505
TELEPHONE: FAX: Types:

TELEPHONE: FAX: Types: SW 330, SW 280, SW 440

PVC Cleat, PVC Braided, PVC Dairy Suction

Hose - Rubber

Dayton

Dayco Corporation MODEL: CLEANING REQUIREMENTS

7379, 7390 Full CIP

P.O. Box 1004 COMMENT:

OH45401-1004

TELEPHONE: FAX:

Goodyear Rubber Company MODEL: CLEANING REQUIREMENTS

1376 Techway Drive

Akron OH44316-0001 **COMMENT**:

TELEPHONE: FAX: White Flexwing 549151

White Flextra 549147 Wineline 549887 Brewline 549885 Wineflex-150 549381 Wineflex-250 549387 Nutriline 5459449 White Softwall 549150

Modern Packaging, Inc.

MODEL: CLEANING REQUIREMENTS

515 Acorn Street Full CIP

Deer Park NY11729 COMMENT:

TELEPHONE: FAX: Silicone Braidewd Platinum Cured

(516) 595-2437 (516) 595-2742 Food Grade Rubber

Brew Line

Silicon Vacuum Platinum Cured

Techose Limited - Canada MODEL: CLEANING REQUIREMENTS

1000 Neveu Street 2582, 2583, 2620, 2630 Full CIP

ST. Cresaire COMMENT:

Canada JOL 1TO Accepted with ends sealed to eliminate liquid wicking.

TELEPHONE: FAX:

Techose Limited - Canada MODEL: CLEANING REQUIREMENTS

1000 Neveu Street 2584 Full CIP

ST. Cresaire COMMENT:

Canada JOL 1TO Accepted with ends sealed to eliminate liquid wicking.

TELEPHONE: FAX:

Techose Limited - Canada MODEL: CLEANING REQUIREMENTS

COMMENT:

1000 Neveu Street See Comments Full CIP

ST. Cresaire

Canada JOL 1TO

TELEPHONE: FAX:

Techose Limited - Canada MODEL: CLEANING REQUIREMENTS

1000 Neveu Street See Comments Full CIP

ST. Cresaire

Canada JOL 1TO

TELEPHONE: FAX:

Model numbers 6284 potable water discharge hose, 6997 food and beverage suction hose, 6236 FDA EPDM corrugated

suction hose, 6285 potable water suction hose, 6998 food and beverage discharge hose, and the 2361 FDA EPDM smooth

suction hose.

COMMENT:

Accpeted with ends sealed to eliminate liquid wicking.

The Gates Rubber Company MODEL: CLEANING REQUIREMENTS

P.O. Box 5887 See Below Full CIP

Denver CO80217-5887 COMMENT: TELEPHONE: FAX: FoodMaster Lite

TELEPHONE: FAX: FoodMaster Lite Sani-Pure

The Home Rubber Co. MODEL: CLEANING REQUIREMENTS

3100 Woolverton Ave.

Trenton NJ08611 COMMENT:
TELEPHONE: FAX: White Buna N60

(609) 394-1176 N 1655 W. Neoprene

Ingredient Feeder - Auger Type

Merrick Industries, Inc. MODEL: CLEANING REQUIREMENTS

10 Arthur Drive 570 Manual

Lynn Haven FL32444 COMMENT: TELEPHONE: FAX:

Ingredient Feeder - Dry Products

Schenck AccuRate, Inc.

745 Milwaukee Street

P.O. Box 208

Whitewater WI53190-0208

TELEPHONE: FAX:

(262) 473-4384 (262) 473-2441

MODEL: **CLEANING REQUIREMENTS** 314, 614, 914, 1214

Manual

COMMENT:

These Model were accepted as 312, 612, 912, and 1212

between April, 93 through August, 93.

Models 314, 614, 914, and 1214 are accepted if manufactured

between September, 93 through

November, 98.

COMMENT:

System Engineering & Mfg.

1144 Post Road

Oakdale CA95361

(209) 848-3912 (209) 848-3917 MODEL: **CLEANING REQUIREMENTS**

SF 463-3"-3A Manual

TELEPHONE: FAX:

MODEL: **CLEANING REQUIREMENTS** Tecnetics Industries Inc.

Series 5, 12, 28 Manual 2180 Old Hwy 8

MN55112-1802 St. Paul **COMMENT:**

TELEPHONE: FAX:

Ingredient Feeder-Liquid

Spray Dynamics, LTD MODEL: CLEANING REQUIREMENTS

Manual

108 Balte Lane

St. Clair MO63077 COMMENT:

TELEPHONE: FAX: Micro-Meter "Airless" LiquidApplicator, Master

Series I

Lump Breaker - Dry Products

FAX:

TELEPHONE:

(612) 427-9991

Jacobson Inc. MODEL: CLEANING REQUIREMENTS

2445 Nevada Ave. North

Full Nelson

Manual

Minneapolis MN55427-3611 COMMENT:

Machine and Process Design

MODEL: CLEANING REQUIREMENTS

820 McKinley Street 101052C, 12XXDG Manual

Anoka MN55303 **COMMENT:**

TELEPHONE: FAX:

(612) 427-8777

The Fitzpatrick Company MODEL: CLEANING REQUIREMENTS

B32 Industrial Drive DAAS06, DKAAS012 Manual

Elmhurst IL60126

TELEPHONE: FAX: COMMENT:
Fitz Mill Comminitators.

(630) 530-3333 (630) 530-0832 Fitz Mill Comminitators.

Membrane Module

TELEPHONE:

(716) 692-3000

Norwood

MODEL: Alcoa Separations Tech. Div. **CLEANING REQUIREMENTS**

Ceramic Full CIP 181 Thorn Hill Road

Warrendale PA15086-7527 COMMENT:

TELEPHONE: FAX: Ceraver - Module only. Alpha Laval Bacto-Catch - Module only

MODEL: **CLEANING REQUIREMENTS** APV Americas, NY **UTMP**

Full CIP Tonawanda Division

395 Fillmore Avenue

COMMENT: Tonawanda NY14150

(716) 744-2321

FAX:

MA02062

Cuno MODEL: **CLEANING REQUIREMENTS** KC-435-010 D

Full CIP Separation Systems Div

50 Kerry Place

TELEPHONE: FAX:

COMMENT:

MODEL: **CLEANING REQUIREMENTS** Cuno

COMMENT:

Full CIP Separation Systems Div

50 Kerry Place

Norwood MA02062 KC-433 Series* **TELEPHONE:** FAX: KC-435 Series* KC-438 Series*

* Series size designations 010D,D,100D,500D

MODEL: **CLEANING REQUIREMENTS** Desalination Systems Inc.

Full CIP

760 Shadowbridge Drive

Vista CA92083-7986 **COMMENT:**

TELEPHONE: FAX: CE3835C, CE3840C, CQ3835C (619) 598-3335 (619) 598-3334 CQ3840C, DK3835C, DK3840C

ER3835C, ER3840C, ER4233C RE4235C, GM3835C, GM3840C SE3835C, SE3840C, SG3835C SG3840C, FW3835C, FW3840C FW4233C, FW4235C, FW4236C

MODEL: Desalination Systems Inc. **CLEANING REQUIREMENTS** A-Series Full CIP

760 Shadowbridge Drive

Vista CA92083-7986

TELEPHONE: FAX:

(619) 598-3334

(619) 598-3335

FAX:

COMMENT:

AG3838C, AG3840C, AG4233C, AG6338C, AG8040C AG8240C, AD3838C, AD3840C, AD4233C, AD6338C

AD8040C, AD8240C

MODEL: **CLEANING REQUIREMENTS Dow Chemical Company**

> DRO-3838/IW30-3838LW Full CIP

Midland MI48674

TELEPHONE:

(517) 636-8164

COMMENT:

MODEL: **Dow Chemical Company CLEANING REQUIREMENTS**

Filmtec Full CIP

MI48674 Midland

TELEPHONE: FAX:

(517) 636-8164

COMMENT:

IW-3838LW, DNF-3838, DRO-3835, XP45-3838LW

IW30-4039LW, NF45-3838LW, IW30-3835LW NF45-3835LW, DNF-3835, XP45-4039LW DUF-3838, UF-3838LW, UF-4038LW

MODEL: Filtration Engineering Co. **CLEANING REQUIREMENTS**

12255 Ensign Avenue

Champlin MN55136

TELEPHONE: FAX:

(612) 421-2721 (612) 421-1988

Ultra-Osmosis Full CIP

Accepted for processing of salty whey.

COMMENT:

MODEL: Filtration Engineering Co. **CLEANING REQUIREMENTS**

12255 Ensign Avenue

MN55136 Champlin

TELEPHONE: FAX:

(612) 421-1988 (612) 421-2721

8105 Full CIP

COMMENT:

MODEL: Fluid Systems Inc. **CLEANING REQUIREMENTS**

3838N1 Full CIP 10054 Old Groove Road

San Diego CA92131-1647

TELEPHONE: FAX:

COMMENT:

MODEL: Fluid Systems Inc. **CLEANING REQUIREMENTS** Full CIP

10054 Old Groove Road

TELEPHONE:

TELEPHONE:

(805) 604-3570

CA92131-1647 San Diego

COMMENT: TELEPHONE: FAX: 3835 N1, N2, N3 3838 N1, N2, N3

3838.75 N1, N2, N3 4333 N1, N2, N3 5638 N1, N2, N3 6338 N1, N2, N3

4818 Reverse Osmosis

CLEANING REQUIREMENTS

CLEANING REQUIREMENTS

MODEL: Hydranautics **CLEANING REQUIREMENTS**

Dairy RO 3838-XX Full CIP 401 Jones Road

Oceanside CA92054 **COMMENT:**

FAX:

MODEL:

Koch Membrane Systems Inc. Abcor - Spiral Wound Full CIP

850 Main Street

Wilmington MA01887-3388 **COMMENT: TELEPHONE:** FAX:

MODEL: L & A Engineering & Equipment **CLEANING REQUIREMENTS**

2X2U252/M6 Full CIP P.O. Box 2997

Turlock CA95381-2997

COMMENT: TELEPHONE: FAX:

MODEL: Osmonics Desal **CLEANING REQUIREMENTS**

AF, AG, AE, Dk, DL, P Full CIP 760 Shadowridge Drive

Vista CA92083

COMMENT: TELEPHONE: FAX: Elements may be manufactured in both 8.0" and 8.2"sizes.

MODEL: Osmonics Desal **CLEANING REQUIREMENTS**

8" Membrane Housing Full CIP

760 Shadowridge Drive

Vista CA92083 **COMMENT:**

MODEL:

PTI Advanced Filtration, Inc. Ultrafiltration

Full CIP 2340 Eastman Ave.

Oxnard CA93030

COMMENT: TELEPHONE: FAX: (805) 604-3599

FAX:

MODEL: **SEPRO CLEANING REQUIREMENTS**

NF3838-31, NF3838.75-31 Full CIP 4115 Avenida de la Plata

CA92056 Oceanside **COMMENT:**

FAX:

FAX:

TELEPHONE:

TELEPHONE:

MODEL:

SEPRO CLEANING REQUIREMENTS PE6338 Full CIP

4115 Avenida de la Plata

Oceanside CA92056 **COMMENT: TELEPHONE:** FAX:

MODEL: **SEPRO CLEANING REQUIREMENTS**

COMMENT:

PES 3838 Full CIP 4115 Avenida de la Plata

Oceanside CA92056

SEPRO MODEL: **CLEANING REQUIREMENTS**

See Below Full CIP 4115 Avenida de la Plata

CA92056 Oceanside **COMMENT:**

TELEPHONE: FAX: Certificate issued for PES3838-46, and PES6338-46.

MODEL: **SEPRO CLEANING REQUIREMENTS**

COMMENT:

See below Full CIP 4115 Avenida de la Plata

Oceanside CA92056

TELEPHONE: FAX: Model No. NF-3838.75-31, and NF-3838-31.

MODEL: **CLEANING REQUIREMENTS SFEC**

Carbon Ceramic Full CIP **BP 33**

Bollene **COMMENT:** France

84500 Module to be used in systems designed by L and A Engineering

and Equipment, Inc. **TELEPHONE:** FAX:

MODEL: Synder Filtration **CLEANING REQUIREMENTS**

HP99***CB-WT-***-*** Full CIP 4971 Allison Parkway

Suite A **COMMENT:**

Vacaville CA95688

First *** = spacer size Second *** = modula diameter **TELEPHONE:** FAX:

Third *** = Module length (707) 451-6060 (707) 451-6064

Wafilin BV MODEL: CLEANING REQUIREMENTS
Full CIP

Brucherweg 88, 7772 Bj

Hardenberg

Netherlands 7770 AA **TELEPHONE: FAX:**

05232-88911

COMMENT:

Membrane System - Plate and Frame

MODEL: Dorr-Oliver Inc. **CLEANING REQUIREMENTS**

Full CIP 77 Havemeyer Lane

Stanford CT06904 **COMMENT:**

TELEPHONE: FAX: Plate Type Cartridge UF System. (203) 358-3509

MODEL: CLEANING REQUIREMENTS Rhone-Poulenc CRF

Full CIP 85, Ave des Freres Perret

BP 62 **COMMENT:**

FAX:

69192

TELEPHONE:

Saint-Fons Cedex Plate and frame systems. France

Membrane System - Spiral

MODEL: Membrane Systems Specialists

P.O. Box 998

1430 Second Street North

Wisconsin Rapids WI54495-0998

TELEPHONE: FAX:

(715) 423-6181 (715) 421-2333

Full CIP

CLEANING REQUIREMENTS

COMMENT:

Spiral Wound Systems.

MODEL: Niro Hudson **CLEANING REQUIREMENTS**

Full CIP

1600 O'Keefer Road

Hudson WI54016

COMMENT: TELEPHONE: FAX: Spiral Wound systems.

(715) 386-9376 (715) 386-9371 DDS plate and frame UF and RO systems.

MODEL: Thomas Technical Services, Inc **CLEANING REQUIREMENTS**

Full CIP PO Box 28

Neillsville WI54456 **COMMENT:**

TELEPHONE: FAX: Spiral wound systems.

Membrane System - Tubular

Patterson Candy International MODEL: CLEANING REQUIREMENTS
Full CIP

Laverstoke Mill

Whitchurch
Hampshire
Great Britan
RG28 7NR

COMMENT:
Tubular systems.

Great Britan RG28 7NR **TELEPHONE: FAX:**

Metal Detectors

Eriez Magnetics 2200 Asbury Road

P.O. Box 10608

PA16514-0608 Erie FAX:

TELEPHONE:

(814) 838-4960 (814) 835-6000

MODEL: **CLEANING REQUIREMENTS**

E-Z TEC III, E-Z TEC IV Manual

COMMENT:

Acceptance does not include conveyor to move product through

the detector.

E-Z TEC IV is an upgrade of E-Z TEC III originally accepted.

Milk/Milk Products Separators/Clarifiers

Tetra Pak Inc. MODEL: CLEANING REQUIREMENTS

101 Corporate Woods Pkw

USDA HGV

Full CIP

Vernon Hills IL60061 COMMENT:

TELEPHONE: **FAX**: (847) 955-6334 (847) 955-6500

Westfalia Separator, Inc. MODEL: CLEANING REQUIREMENTS

MSE Series Full CIP

100 Failway Court

Northvale NJ07647 COMMENT: TELEPHONE: FAX:

(201) 784-4331

(201) 767-3900

Mill - Dry Products

(708) 961-3423

TELEPHONE:

TELEPHONE:

Sturtevant

MODEL: **CLEANING REQUIREMENTS** Bauermeister, Inc.

Manual 4180 Pilot Dr.

P.O. Box 181090 COMMENT:

Memphis TN38181 Accepted only for milling lactose crystals after seperation from

TELEPHONE: FAX: the whey. Does not require dairy construction. (901) 363-0921

MODEL: **CLEANING REQUIREMENTS** Fluid Air, Inc.

Fluid Air Mill Manual 540 Industrial Drive

Naperville IL60506

COMMENT: TELEPHONE: FAX:

Quadro Engineering Inc. Comil Manual

613 Colby Drive Waterloo ON

MODEL:

CLEANING REQUIREMENTS

CLEANING REQUIREMENTS

COMMENT: Canada N2V 1A1 198-FS-USDA 198-FT-USDA FAX: **TELEPHONE:** 196-FS-USDA (519) 884-9660

(519) 884-0253 196-FT-USDA 194-FS-USDA 194-FT-USDA

FAX:

FAX:

MODEL: **CLEANING REQUIREMENTS** Sturtevant

SDM2 and SDM4 Micronizer Full CIP

103 Clayton Street

Boston MA02122-2735 **COMMENT:**

MODEL:

SDM4 Micronizer Partial CIP 103 Clayton Street

MA02122-2735 **Boston COMMENT:**

MODEL:

The Fitzpatrick Company **CLEANING REQUIREMENTS** DAAS06, DKAAS012 Manual

832 Industrial Drive

Elmhurst IL60126 **COMMENT:**

TELEPHONE: FAX: (630) 530-3333 (630) 530-0832

Miscellaneous Nonproduct Components

MODEL: APV Crepaco Inc. **CLEANING REQUIREMENTS**

COMMENT:

395 Fillmore Ave

(715) 537-3005

(201) 857-9200

TELEPHONE:

(206) 574-7294

TELEPHONE:

(404) 636-4220

Digital Design Inc.

Tonawanda NY14150-0366

TELEPHONE: FAX:

(716) 692-3000 (716) 692-6461 Inspection of a Flex Connection (D-7826.783) for dry products.

Manual

CLEANING REQUIREMENTS

MODEL: **BLM Custom Fabrication CLEANING REQUIREMENTS**

BLM 1-04SS, BLM 1-16SS Manual 1576 14 1/2 Street

WI54812 Barron **COMMENT:**

TELEPHONE: FAX: Review of Stainless Steel Device Box.

MODEL:

R250 Manual 67 Sand Park Road

Cedar Grove NJ07009 COMMENT:

(201) 857-7906

(206) 574-3834

(404) 636-4306

FAX:

FAX:

TELEPHONE: FAX: Review of a Omniprint R250 series reciprocating imprinter.

EDT MODEL: **CLEANING REQUIREMENTS**

Manual

1006-JNE 146th Street

Vancouver WA98685-1411 **COMMENT:**

MODEL: **CLEANING REQUIREMENTS** Precision Tracking Systems Onc

RF Tag Manual 2454 Warwick Circle

Atlanta GA30345 **COMMENT:**

Miscellaneous Process Systems

Hydrodynamics Corporation MODEL: CLEANING REQUIREMENTS

Enviromizer Full CIP

Milford DE19963-6027 COMMENT:

TELEPHONE: FAX: Sizes 1-1/2", 2", 2-1/2", 3", and 4". (302) 335-1090

Mixer - Shear

TELEPHONE:

(519) 884-9660

Admix MODEL: CLEANING REQUIREMENTS

234 Abby Road Rotosolver Full CIP

Manchester NH03103-3332 COMMENT:

TELEPHONE: FAX: (603) 627-2340 (603) 627-2019

Quadro Engineering Inc. MODEL: CLEANING REQUIREMENTS

613 Colby Drive Xyclon XC3 Full CIP

Waterloo ON COMMENT:

(519) 884-0253

Canada N2V 1A1

FAX:

Mixer - Whipped Butter

Goodway Industries Inc. MODEL: CLEANING REQUIREMENTS

175 Orville Drive CM 25 Manual

Bohemia NY11716-2503 COMMENT: TELEPHONE: FAX:

Mixer/Moulder - Mozzarella

TELEPHONE:

TELEPHONE:

(920) 623-3003

Alfa Laval Inc. - MN MODEL: CLEANING REQUIREMENTS

2950 Metro Drive ALIS, Alform Manual

Bloomington MN55425-1535 COMMENT:

FAX:

FAX:

CMT S.P.A. MODEL: CLEANING REQUIREMENTS

141/A Via Provinciale Partial CIP

S.Lorenzo Peveragno COMMENT:

Cuneo H6M-US, H4M-US, H2JM-US, H4JM-US

Italy 12010

Stainless Steel Fabricating MODEL: CLEANING REQUIREMENTS

720-S, 620, 630 Manual

202 Industrial Drive

Columbus WI53925-1016 COMMENT:

TELEPHONE: FAX:

Nitrogen/Inert Gas Equipment

Balston, Inc. MODEL: CLEANING REQUIREMENTS

260 Neck Road

TELEPHONE:

Box 8223 COMMENT:

FAX:

Haverhill MA01835-0723

(508) 374-9292 (508) 374-0790

Packaging Machine - Bag Filler, Dry Products

MODEL: **CLEANING REQUIREMENTS** Airvan Company

1000 & 2000 Manual 3118 N. Claybourn Avenue

Chicago IL60618-6425 COMMENT: FAX:

TELEPHONE:

TELEPHONE:

64-7-8493-414

64-7-8493-414

TELEPHONE:

TELEPHONE:

NΖ

MODEL: **CLEANING REQUIREMENTS** Almar Industries Inc. Manual

P.O. Box 291

Hartland WI53029-0291 **COMMENT:**

TELEPHONE: FAX: R&D Systems Engineering Sanitary Gross Weight Filler.

MODEL: **CLEANING REQUIREMENTS** Avapac Engineering, LTD

Avapac 25 KG Packer Manual Foreman Road

P. O. Box 10266 **COMMENT:** Te Rapa, Hamilton

64-7-8493-494

FAX:

MODEL: Avapac Engineering, LTD **CLEANING REQUIREMENTS**

Avalon Extractair Manual Foreman Road

P. O. Box 10266 **COMMENT:** Te Rapa, Hamilton Deaeration lance.

64-7-8493-494

ΝZ Porous probe material not suitable for wet cleaning.

TELEPHONE: FAX:

MODEL: Avapac Engineering, LTD **CLEANING REQUIREMENTS**

Avalon Rotary Packer Manual

Foreman Road

P. O. Box 10266 **COMMENT:** Te Rapa, Hamilton

64-7-8493-494 64-7-8493-414

MODEL: Avapac Engineering, LTD **CLEANING REQUIREMENTS**

Avalon Single Stage Bulk Manual

Foreman Road

P. O. Box 10266 **COMMENT:**

Te Rapa, Hamilton

FAX:

FAX:

64-7-8493-494 64-7-8493-414

MODEL: **CLEANING REQUIREMENTS** Black Products Co. 982 Sani-Bagger

Manual

CLEANING REQUIREMENTS

13513 Calumet Ave.

IL60627 Chicago **COMMENT: TELEPHONE:** FAX:

(312) 468-9700

MODEL: **CLEANING REQUIREMENTS** Eliminair Inc.

LBJ 00455 Manual 505 West 13th Street

Marshfield WI54449-4017 **COMMENT:**

TELEPHONE: FAX:

MODEL: Hammerlund Manufacturing Co. **CLEANING REQUIREMENTS**

Custom Models Manual 607 2nd Street South

Hopkins MN55343-7664 COMMENT:

TELEPHONE: FAX: Acceptance by each installation.

MODEL: **CLEANING REQUIREMENTS** Paget Equipment Company Inc.

Manual 417 East 29th Street

Marshfield WI54449-5312 **COMMENT:** TELEPHONE: FAX:

MODEL: SAPAC International Inc. **CLEANING REQUIREMENTS**

SP 25(S) Manual P. O. Box 2035

Fond du Lac WI54936

COMMENT: **TELEPHONE:** FAX:

(414) 921-0822

MODEL:

Stone Container Corp. 630-P Manual

Bag Division

1881 West North Temple

COMMENT: Salt Lake UT84116-3097

TELEPHONE: FAX:

(801) 595-6800

(414) 921-5060

MODEL: **CLEANING REQUIREMENTS** Streeter-Richardson Corp.

E-Vac Weigh Filler Manual

680 Van Houten Ave

Clifton NJ07015 **COMMENT:**

TELEPHONE: FAX: (201) 471-3400

The Chantland Company

P.O. Box 69

Humbolt

IA50548 **FAX:**

TELEPHONE:

(515) 332-4045

MODEL:

4198 Weight Master

CLEANING REQUIREMENTS

Manual

COMMENT:

Packaging Machine - Bag Inserter

R.A. Pearson Company MODEL: CLEANING REQUIREMENTS

8120 W. Sunset Hightway

Y1930

Manual

Spokan WA99208 COMMENT:

TELEPHONE: **FAX**: (509) 838-6226 (509) 747-8532

R.A. Pearson Company MODEL: CLEANING REQUIREMENTS

8120 W. Sunset Hightway

Y1928

Manual

Spokan WA99208 COMMENT:

TELEPHONE: FAX: (509) 838-6226 (509) 747-8532

Packaging Machine - Bulk Bag

Control and Metering, LTD MODEL: CLEANING REQUIREMENTS

6500 Kestrel Road C/ABR Manual

Mississauga
Ontario L5T 1

TELEPHONE: FAX:

Flexicon Corporation MODEL: CLEANING REQUIREMENTS

BFL-FFFW-X Manual 1375 Stryker's Road

Box 5269 COMMENT:

Bethlemhem PA08865-9491 **TELEPHONE**: **FAX**:

Packaging Machine - Bulk Butter

MODEL: Pasilac **CLEANING REQUIREMENTS**

COMMENT:

FMG - Automatic Partial CIP P.O. Box 320

Silkeborg

DK-8600 **TELEPHONE:** FAX:

Denmark

Packaging Machine - Cheese

Bodolay Pratt MODEL: CLEANING REQUIREMENTS

COMMENT:

Div. of Package Machinery

L40-L80

Partial CIP

5015 N. Frontage Road

Roger Bridge Road, BLD A

(803) 433-2000

Kiel

Maple Grove

Lakeland FL33809-2847 Horizontal Pouch Form/Fill/Seal machine.

TELEPHONE: FAX:

CRYOVAC Division MODEL: CLEANING REQUIREMENTS

W.R. Grace & Co.-Conn 8104-A Manual

W.K. Grace & Co.-Com

Duncan SC29334-0464 COMMENT:

Taped Bag Loader.

TELEPHONE: FAX:

Emkay Trading Corporation MODEL: CLEANING REQUIREMENTS
Prepak IS-3 Manual

58 Church Street

Arcade NY14009-1117

COMMENT:

TELEPHONE: FAX: Pouch Pack machine with Foodsorvice nump made by DuPont

TELEPHONE: FAX: Pouch Pack machine with Foodservice pump made by DuPont

Canada, Inc. For packaging hot cream cheese and similar products.

Hayssen Manufacturing Company MODEL: CLEANING REQUIREMENTS

ADW 514SW, ADW 714SW Manual

13542 Meggers Road

TELEPHONE: FAX: COMMENT:
Scale Section. Does not include the Form, Fill and Seal

sections.

MN55369-4533

WI53042

MGS Machine Corporation MODEL: CLEANING REQUIREMENTS

MGS SN 3624 Manual

9900 85th Avenue North

TELEPHONE: FAX: COMMENT:
Rotary pick and place coupon placer.

Scan American Corporation MODEL: CLEANING REQUIREMENTS

780 BAB-Dairy Manual

9505 N. Congress Avenue

Kansas City MO64153 COMMENT: TELEPHONE: FAX:

Sharpe Engineering & Equipnemt

P.O. Box 501

Sun Prairie

WI53590 **FAX:**

TELEPHONE:

(608) 837-2480

MODEL:

Cheese Block Bagger

CLEANING REQUIREMENTS

Manual

COMMENT:

Accetance be each installation only.

Packaging Machine - Form, Fill and Seal

MODEL: Autoprod Inc. **CLEANING REQUIREMENTS**

FP Series Manual 5355 115th Avenue N.

Clearwater FL34620 **COMMENT:**

TELEPHONE: FAX: (813) 572-7753 (813) 573-0367

MODEL: Hayssen **CLEANING REQUIREMENTS**

Utima SU Manual 225 Spartangreen Boulevar

Duncan SC29334 **COMMENT:**

TELEPHONE: FAX: The unit is accepted less the Forming Tube Assembly (FTA).

MODEL: **CLEANING REQUIREMENTS** Profile Packaging, Inc.

FBM Manual

Airport Commerce Center

COMMENT: Sarasota FL34243

FAX:

1219 Tallevast Road

TELEPHONE:

TELEPHONE:

TELEPHONE:

(908) 236-2111

Rockford

(941) 359-6804 (941) 359-6678

MODEL: **CLEANING REQUIREMENTS** Rapidpak

RP30 RP50 Vacuum/MAP Manual 1725 W. 8th Street

P.O. Box 9075

COMMENT: WI54911 Appleton

FAX:

(414) 733-6927 (414) 733-6690

MODEL: **CLEANING REQUIREMENTS** Research&Development Pkg Corp

V-400 Manual

Research & Development

1221 Highway 22 **COMMENT:**

NJ08833 Lebanon

(908) 236-7013

FAX:

MODEL: Star Packaging Equipment Inc. **CLEANING REQUIREMENTS**

DT8-12,DT8-32,DT8-80 Manual 9926 North Alpine Road

IL61111-8211 **COMMENT: TELEPHONE:** FAX:

Triangle Package Machinery Co.

6655 West Diversey Ave

IL60635-2218 Chicago

(733) 889-0200

(773) 889-4221

TELEPHONE: FAX:

Vision Packaging Systems

2330 Pamperin Road

Green Bay

TELEPHONE:

(920) 662-2100

WI54313

FAX:

(920) 434-5750

MODEL:

Selectacon 21, Model 816

CLEANING REQUIREMENTS

Manual

COMMENT:

MODEL: CLEANING REQUIREMENTS

ICON Manual

COMMENT:

Packaging Machine - Pouch or Can

All-Fill, Inc. MODEL: CLEANING REQUIREMENTS

COMMENT:

B-3A Manual

418 Creamery Way

Exton PA19341 **TELEPHONE**: **FAX**:

(215) 647-8800

Belshaw Bros., Inc MODEL: CLEANING REQUIREMENTS

COMMENT:

1750 22nd Avenue South D-Model Fillers Manual

Seattle WA98144-4590

TELEPHONE: FAX:

(206) 322-5474 (206) 322-5425

GEI Mateer- Burt MODEL: CLEANING REQUIREMENTS

434 Devon Park Drive 1000S, 2000S, 6000S Manual

Wayne PA19087 COMMENT:

TELEPHONE: FAX:

(610) 293-0100 (610) 341-9345

M W Equipment Corp MODEL: CLEANING REQUIREMENTS

14380 W. Capitol Drive Quick-Pack III Manual

Brookfield WI53005-2323 COMMENT:

TELEPHONE: FAX:

Spee-Dee Packaging Machinery MODEL: CLEANING REQUIREMENTS

9950 Durand Avenue Manual

Sturtevant WI53177

TELEPHONE: FAX:

(414) 886-4402

Triangle Package Machinery Co. MODEL: CLEANING REQUIREMENTS

Selectacom __-1A612F2 Manual

Chicago IL60635-2218 COMMENT:

TELEPHONE: FAX: This unit also acceptable for Shredded or dry Cheese packaging. The first two numbers are used for the type of

electrical controls used and may change form unit to unit.

Packaging Machine - String Cheese

FAX:

Scan American Corporation

9505 N. Congress Avenue

Kansas City MO64153

TELEPHONE:

MODEL: 780BAB-Dairy

CLEANING REQUIREMENTS

Manual

COMMENT:

Packaging Machine - Vacuum Sealer

CRYOVAC Division

W.R. Grace & Co.-Conn

Roger Bridge Road, BLD A

SC29334-0464 Duncan

TELEPHONE:

(803) 433-2000

CRYOVAC Division

W.R. Grace & Co.-Conn

Roger Bridge Road, BLD A

SC29334-0464 Duncan

TELEPHONE:

(803) 433-2000

CVP System, Inc.

2518 Wisconsin Ave.

Downers Grove

TELEPHONE:

(708) 852-1190

IL60515

FAX:

FAX:

FAX: (708) 852-1366

MODEL: Betavac MKII

CLEANING REQUIREMENTS

Manual

COMMENT:

Rotary Vacuum Chamber Machines:

Models 8600-14, 8600-14E, 8600-14H, 8610-14, 8620-14

These machines do not have direct product contact.

MODEL: **CLEANING REQUIREMENTS**

Betavac R1270 Manual

COMMENT:

This machine does not have direct product contact.

MODEL:

CLEANING REQUIREMENTS A200

Manual

COMMENT:

Packaging Machine - Viscous Products

MODEL: Belshaw Bros., Inc **CLEANING REQUIREMENTS**

D-Model Series Manual 1750 22nd Avenue South

Seattle WA98144-4590 **COMMENT:**

TELEPHONE: FAX: (206) 322-5474 (206) 322-5425

MODEL: Fuller Weighing Systems **CLEANING REQUIREMENTS**

1.9 inch diameter lance Manual 1600 Georgeville Road

Columbus OH43228 **COMMENT:**

TELEPHONE: FAX:

FAX:

FAX:

FAX:

(614) 878-4269

TELEPHONE:

TELEPHONE:

Redmond

TELEPHONE:

TELEPHONE:

(614) 878-4290

MODEL:

Hart Design & Manufacturing **CLEANING REQUIREMENTS** 125 Manual

P.O. Box 8002

Green Bay WI54308-8002 **COMMENT:**

Hart Design & Manufacturing MODEL: **CLEANING REQUIREMENTS**

Manual

P.O. Box 8002

Green Bay WI54308-8002 COMMENT: **TELEPHONE:** FAX:

PM - Pouch Maker APO - Opener/Inserter

MODEL: **CLEANING REQUIREMENTS** Hayssen Manufacturing Company

Full CIP

13542 Meggers Road

Kiel WI53042 COMMENT:

MODEL:

Hinds-Bock Corporation CLEANING REQUIREMENTS 25H Manual

15459 NE 95th Street

COMMENT:

COMMENT:

MODEL: LiederMachinenbau GMbH & Co **CLEANING REQUIREMENTS**

TA51-TA58 Manual

Postfach 40 IM Laab 3

Attn: John Cavanagh

Schwarmstedt

FAX:

W. Germany 3033

WA98052-2548

Modern Packaging, Inc.

515 Acorn Street

Deer Park NY11729

TELEPHONE:

(516) 595-2742 (516) 595-2437

FAX:

Modern Packaging, Inc.

515 Acorn Street

Deer Park NY11729 **TELEPHONE:** FAX:

(516) 595-2742 (516) 595-2437

World Cup Packaging Corp

9957 N. Alpine Road

Suite 101

Machesney Park IL61115 **TELEPHONE:** FAX:

(815) 282-9788 (815) 282-9146 **COMMENT:**

MODEL:

Series SL

MODEL: **CLEANING REQUIREMENTS**

Manual

CLEANING REQUIREMENTS

Series SR/MR Manual

COMMENT:

MODEL: **CLEANING REQUIREMENTS**

DT8-12,DT-32,DT8-80 Manual

COMMENT:

Portable Bin - Dry Products

Tote Systems Inc. MODEL: CLEANING REQUIREMENTS

Manual

P.O. Box 2916

Fort Worth TX76113-2916 COMMENT:

TELEPHONE: FAX: Both stainless steel and aluminum constructtion are acceptable.

Pump - Diaphragm

TELEPHONE:

DEPA GmbH MODEL: CLEANING REQUIREMENTS

Monschauer Strasse 7-9 SL Full CIP

Dusseldorf COMMENT:

Germmany D-4000

TELEPHONE: **FAX**: (0211) 50 70 77

Murzan, Inc MODEL: CLEANING REQUIREMENTS

2909 Langford Road PI 50 DL, PI 50 SL Full CIP

Bldg. B, Suite 900

Norcross GA30071

FAX:

(404) 448-0583

Warren Rupp Houdaille Inc. MODEL: CLEANING REQUIREMENTS

800 N. Main Street DSB1-A Full CIP

P.O. Box 1568

Mansfield OH44901-1568

TELEPHONE: FAX:

Pump - Miscellaneous

MODEL: Reliable Mechanical Seal Rep **CLEANING REQUIREMENTS** Full CIP

428 N. Lake Street

Neenah WI54956 **COMMENT:**

TELEPHONE: FAX:

Rotary seal for 3-A centrifugal pumps. (414) 729-1309 (414) 729-1409

Pump - Piston/Plunger

Belshaw Bros., Inc

1750 22nd Avenue South

Seattle WA98144-4590

TELEPHONE:

FAX:

(206) 322-5474 (206) 322-5425

MODEL:

T Series Transfer Pump

CLEANING REQUIREMENTS

Manual

COMMENT:

Pump - Positive Displacement Rotary

G & H Products Corporation MODEL: CLEANING REQUIREMENTS

8201 104th Street GHPD Full CIP

P.O. Box 909 COMMENT:

WI53158-0909

FAX:

Pleasant Prairie

TELEPHONE:

(414) 947-4700 (414) 947-4724

Waukesha Pumps MODEL: CLEANING REQUIREMENTS

Universal Series Full CIP

Waukesha WI53186-5318 COMMENT:

TELEPHONE: FAX: Universal Series: Model No.'s 12, 22, 32, 62, 132, and 222

Pump - Progressive Cavity

(513) 327-3111

TELEPHONE:

Moyno Industrial, Inc. MODEL: CLEANING REQUIREMENTS

P. O. Box 960 FBC,FC,FB,FA Partial CIP

Springfield OH45501-0960 COMMENT:

TELEPHONE: FAX:

Pumpen Und Maschinenbau MODEL: CLEANING REQUIREMENTS

Frtz Seeburger KG Partial CIP

Postfach 868 COMMENT:

FAX:

Bottrop Seepex Models: CA, BCA, TCA, BTCA, BC, C, BTC, TC

W. Germany 4250

Robbins & Myers Inc.

Box 960

MODEL:
Moyno

CLEANING REQUIREMENTS
Manual

Springfield OH45501-0960 COMMENT:

TELEPHONE: FAX: Series: FG, FGJ, FF, FFJ

Pump - Stuffer

American Process Systems Corp.

3815 Grandville Avenue

Gurnee IL60031-2331

TELEPHONE: FAX:

MODEL: ADF-4000 **CLEANING REQUIREMENTS**

Manual

COMMENT:

Reclaiming Equipment - CIP Solutions

Enviromation Systems

1715 New Hampshire Ave.

Toms River

NJ08755

TELEPHONE: FAX:

MODEL:

Enviromizer Unit

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Rotary Valve

MODEL: AZO Inc. **CLEANING REQUIREMENTS**

COMMENT:

Manual

P.O. Box 181070

Memphis TN38181-1070

TELEPHONE: FAX: Models:

> AS-150 through AS-450 GS-150 through GS-450

MODEL: Chicago Conveyor Corp. **CLEANING REQUIREMENTS**

Manual 330 LaLonde Avenue

Addison IL60101-3309 COMMENT:

TELEPHONE: FAX: Models:

S-143, S-533, S-543, S-553, S-563

MODEL: Crystal Lake Cheese **CLEANING REQUIREMENTS**

AK-USDA-250 Manual P.O. Box 36

Comstock WI54826 **COMMENT:**

TELEPHONE: FAX:

MODEL: DMN Machinefabriek BV **CLEANING REQUIREMENTS**

Manual P.O. Box 6

16' Gravendamsewg COMMENT:

Noorwijkerhout Models:

Holland 2210AA Dairy AL 150-350 Daibi AL 150-350 **TELEPHONE:** FAX: Dairy BL 150-350

Daibi BL 150-350 Dairy AL MZ 150-350 Dairy BL MZ 150-350

MODEL: **CLEANING REQUIREMENTS** General Resource Corp.

1300, RDIS-9017 Sanitary Manual 201 Third Street South

Hopkins MN55343-7794 **COMMENT:**

TELEPHONE: FAX:

MODEL: Hammerlund Manufacturing Co. **CLEANING REQUIREMENTS**

HS1024 Manual 607 2nd Street South

MN55343-7664 COMMENT: **TELEPHONE:** FAX:

Hopkins

MDF, Millerbernd Design & Fab.

P.O. Box 37

330 6th. Street. South

MN55395-0037 Winsted

TELEPHONE:

Niro Hudson

FAX:

(320) 485-3900 (320) 485-2685

COMMENT:

MODEL:

Accepted for cheese applications only.

MODEL: **CLEANING REQUIREMENTS**

CLEANING REQUIREMENTS

Manual

SST 347-B-3A Manual

1600 O'Keefer Road

Hudson WI54016

TELEPHONE: FAX:

(715) 386-9371 (715) 386-9376

MODEL: NUCON **CLEANING REQUIREMENTS**

COMMENT:

DT500M Manual 1600 Lake Drive W

Chanhassen MN55317 COMMENT:

TELEPHONE: FAX: For Dry Products only, with complete disassembly for manual

cleaning of the Back Plate.

MODEL: Nu-Con Equipment **CLEANING REQUIREMENTS**

Partial CIP 1600 Lake Drive West

Chanhassen MN55317 **COMMENT:**

TELEPHONE: FAX: All Models accepted. For dry products only, with complete

(952) 279-5206 (952) 279-5210 disassembly for manual cleaning of the back plate.

MODEL: **CLEANING REQUIREMENTS** Nu-Con Equipment

Manual 1600 Lake Drive West

MN55317 Chanhassen **COMMENT:**

TELEPHONE: FAX: Review of a plastic rotor for a DT500 M rotary

(952) 279-5210 (952) 279-5206 valve for dry products only.

MODEL: **CLEANING REQUIREMENTS** Precision Cutters, Inc.

Manual Alpha Industrial Park

RD#1. P.O. Box 13X COMMENT:

Phillipsburg NJ08865 Models:

TELEPHONE: FAX: H-AS-150 through H-AS-450

H-GS-150 through H-GS-450 (201) 454-6481

Pulverizing Machinery Corp.

MODEL:
601750

CLEANING REQUIREMENTS
Manual

COMMENT:

MODEL:

COMMENT:

Sizes:

CLEANING REQUIREMENTS

Manual

Mikro-Pul, Corp.

10 Chatham Road Summit NJ07901

(201) 273-6360

TELEPHONE: FAX:

Savel Technologies Inc.

1911 Curvecrest Boulevard

P.O. Box 470

Stillwater MN55082

TELEPHONE: FAX:

(651) 351-7636 (651) 351-7818

Savel Technologies Inc. MODEL: CLEANING REQUIREMENTS

COMMENT:

Sizes:

Blow Through Type

6, 8, 10, and 12 inch.

1911 Curvecrest Boulevard Drop-Thru Type Manual

P.O. Box 470

Stillwater MN55082

TELEPHONE: FAX:

(651) 351-7636 (651) 351-7818

Scherping Systems MODEL: CLEANING REQUIREMENTS

COMMENT:

4, 6, 8, 10, and 12 inch.

Acceptance for cheese applications only.

801 Kingsley Street RV-1/4-10 Manual

P.O. Box 10

Winsted MN55395-0010

TELEPHONE: FAX:

(320) 485-4401 (320) 485-2666

Stoelting, Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 127 Star Valve Manual

502 Highway 67

TELEPHONE:

31-513-467777

Kiel WI53042-0127

TELEPHONE: FAX:

Stork-Friesland B.V. MODEL: CLEANING REQUIREMENTS

For cheese applications.

COMMENT:

P.O. Box 13 Custom Models Manual

Stationsweg 84, 8401 DT

Gorredijk

Acceptanmos

31-513-463708

FAX:

Gorredijk Acceptanmce by each installation.

Netherlands 8400 AA

The Young Industries, Inc.

Painter Street

Muncy PA17756

FAX:

TELEPHONE:

(717) 546-3165

MODEL:

CLEANING REQUIREMENTS

Partial CIP

COMMENT:

Models:

4HC-CA-SA 6LH-CA-SA 5HC-CA-SA 8LH-CA-SA 6HC-CA-SA 10LH-CA-SA 10HC-CA-SA 14LH-CA-SA 12HC-CA-SA 18LH-CA-SA 14HC-CA-SA 18LH-CA-SA

MODEL:

CLEANING REQUIREMENTS

Partial CIP

Wm. W. Meyer & Sons

P.O. Box 105

8261 Elmwood Ave.

Skokie IL60077 TELEPHONE: FAX:

(312) 463-5127

COMMENT:

Easy Clean Sanitary

Salting Equipment - Cheese

Alfa Laval Inc. - MN MODEL: CLEANING REQUIREMENTS
Manual

2950 Metro Drive

Bloomington MN55425-1535 **COMMENT:**

TELEPHONE: FAX:

Sampler - Dry Products

InterSystems Industrial Prod.

MODEL:
GSS-U

Manual

CLEANING REQUIREMENTS

Manual

13330 "I" Street

Omaha NB68137 COMMENT: TELEPHONE: FAX:

TELEPHONE: (402) 330-1500

Scale - Sanitary

Eagle Machinery Company MODEL: CLEANING REQUIREMENTS

948 88th Avenue Manual

Oakland CA94621-1204 COMMENT:

TELEPHONE: FAX: High speed weigh scale for shredded cheese.

Hi-Speed Checkweigher Co. Inc. MODEL: CLEANING REQUIREMENTS

CM6920 USD-CM Manual

603 West State Street

Ithaca NY14850-3307 COMMENT: TELEPHONE: FAX:

Seal - Sanitary

(414) 253-8720

MODEL: Schunk Graphite Technology **CLEANING REQUIREMENTS**

FH82Z5,FH82ZH5 W146 N9300 Held Drive

(414) 255-1391

Menomonie Falls WI53051 **COMMENT: TELEPHONE:** FAX:

MODEL:

Woodex Bearing Company Inc. **CLEANING REQUIREMENTS** EA, MEU Manual

Bay Point Road

Box 37-A **COMMENT:** Georgetown ME04548-0000

TELEPHONE: FAX:

Sensor - Level Control

TELEPHONE:

(847) 455-1450

TELEPHONE:

Lumenite Control Tech, Inc.

MODEL: BinMaster Level Controls **CLEANING REQUIREMENTS**

Full CIP 4200 North 28th Street

Lincoln NE68504-1498 **COMMENT:**

FAX:

CLEANING REQUIREMENTS

MODEL:

Full CIP 2331 North 17th Avenue

Franklin Park IL60131-3775

COMMENT: TELEPHONE: FAX:

(847) 455-0127

MODEL:

Lumenite Control Tech, Inc. **CLEANING REQUIREMENTS** DCFT Sanitrode W/O-ring Full CIP

2331 North 17th Avenue

Franklin Park IL60131-3775 COMMENT: **TELEPHONE:** FAX:

(847) 455-1450 (847) 455-0127

Lumenite Control Technology MODEL: **CLEANING REQUIREMENTS** HR - DCFT

Full CIP 2331 North 17th Avenue

Franklin Park IL60131-3475

COMMENT:

MODEL: Stainless Steel Fabricating **CLEANING REQUIREMENTS**

Full CIP 202 Industrial Drive

Columbus WI53925-1016 **COMMENT:**

TELEPHONE: FAX: (920) 623-3003

FAX:

Sensor - Refractometer

(606) 269-9411

(606) 269-9411

TELEPHONE:

MODEL: Reflectronics, inc. **CLEANING REQUIREMENTS**

Fiber Optic Probe, PN 423 Full CIP 3009 Montavesta Road

KY40502 Lexington **COMMENT: TELEPHONE:** FAX:

(606) 269-9411

MODEL:

Reflectronics, inc. **CLEANING REQUIREMENTS** Full CIP

3009 Montavesta Road

Lexington KY40502 **COMMENT:**

FAX: **TELEPHONE:** CoAgulite and FiberView (606) 269-9411 (606) 269-9411

MODEL: Reflectronics, inc. **CLEANING REQUIREMENTS**

TIPSS18A Full CIP 3009 Montavesta Road

KY40502 Lexington COMMENT: **TELEPHONE:** FAX:

(606) 269-9411

FAX:

MODEL: **CLEANING REQUIREMENTS** Reflectronics, inc.

CoAgulite Model 4 Full CIP

3009 Montavesta Road

Lexington KY40502 **COMMENT:**

(606) 269-9411 (606) 269-9411

Sensors

TELEPHONE:

(800) 368-1950

TELEPHONE:

Engineering Services WHG Inc. MODEL: CLEANING REQUIREMENTS

P.O. Box 4185

Kamo COMMENT:

FAX:

Whangarei Float-type liquid level control device

New Zealand

Katrina, inc. MODEL: CLEANING REQUIREMENTS

91 Western Maryland Pkwy
PH-200-100, PH-300-100
Full CIP

PO Box 418

Hagerstown MD21740 COMMENT:
Acceptance for dry applications only.

TELEPHONE: FAX:

Leeds+Northrup MODEL: CLEANING REQUIREMENTS

Durafet pH Electrode Full CIP

351 Sumneytown Pike

P.O. Box 2000

North Wales PA19454

COMMENT:

FAX:

(301) 739-3428

(215) 616-2513 (215) 699-0563

Moisture Systems MODEL: CLEANING REQUIREMENTS

117 South Street Full CIP

Hopkinton MA01748

TELEPHONE: FAX: COMMENT: Flow Cells,

Power Cell Ph-300-100

S/B Enterprises MODEL: CLEANING REQUIREMENTS

Sanitary - Baghouse Probe Full CIP

705 East Union Avenue

Modesto CA95356-1707 COMMENT: TELEPHONE: FAX:

Scherping Systems

801 Kingsley Street

P.O. Box 10

Winsted

TELEPHONE:

(320) 485-4401

MN55395-0010

FAX:

(320) 485-2666

MODEL:

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Reviewed sample of a single probe level sening unit.

Shredder

(608) 846-5711

Falco MODEL: CLEANING REQUIREMENTS

125 B. St. Joseph FS40 Manual

Lachine COMMENT:

Montreal QE Canada H82 2L2

TELEPHONE: FAX:

(514) 634-3541 (514) 636-0350

Johnson/Nelles Corporation MODEL: CLEANING REQUIREMENTS

6391 Lake Road CJ-7200, CJ-1800TT Manual

Windsor WI53598

TELEPHONE: FAX:

(608) 846-7195

Urschel Laboratories Inc. MODEL: CLEANING REQUIREMENTS

RA-D, CC-D Manual

P.O. Box 2200

Valparaiso CA46384-2200 COMMENT: TELEPHONE: FAX:

Sifter

Nu-Con Equipment

MODEL: **CLEANING REQUIREMENTS** AZO Inc.

Rotary Partial CIP P.O. Box 181070

Memphis TN38181-1070 **COMMENT: TELEPHONE:** FAX:

MODEL:

CLEANING REQUIREMENTS

Orbit 3A Partial CIP 1600 Lake Drive West

Chanhassen MN55317 **COMMENT:**

TELEPHONE: FAX: (952) 279-5206 (952) 279-5210

Slice Casting Machine

Hart Design & Manufacturing

P.O. Box 8002

Green Bay WI54308-8002

TELEPHONE: FAX:

Hart Design & Manufacturing

P.O. Box 8002

Green Bay WI54308-8002

TELEPHONE: FAX:

MODEL: CLEANING REQUIREMENTS

Custom Models Manual

COMMENT:

Acceptance by each installation.

MODEL: CLEANING REQUIREMENTS

7600, Serial No. 79803 Manual

COMMENT:

Slicer

Jones Automation Co., Inc. 12446 W. State Road 81

Beloit WI53511

TELEPHONE:

(608) 879-9307 (608) 879-3052

FAX:

MODEL: CLEANING REQUIREMENTS
HS-725-E/B Manual

COMMENT:

These units are only accepted if they were sold and modified to comply with USDA Equipment Guidelines by Jones Automation Co. located in Brodhead Wisconsin.

Sonic Horn

TELEPHONE:

TELEPHONE:

Spring

BHA Group Inc. MODEL: CLEANING REQUIREMENTS

8800 East 63rd Street BHA AH-10 Manual

Kansas City MO64133-4864 COMMENT:

TX77383-0806

FAX:

Corona Environmental Ind.

MODEL: CLEANING REQUIREMENTS

Box 806 CS-10-60 USDA Manual

TELEPHONE: FAX:

Midwestco Filter Resources MODEL: CLEANING REQUIREMENTS

400 Battaile Dr. Manual

P.O. Box 2075

Winchester VA22604

FAX:

(800) 336-7300 (703) 667-9074

The Drayton Corporation MODEL: CLEANING REQUIREMENTS

P.O. Box 820 25-230-2-2 USDA Manual

Jacksonville AL36265-0820

TELEPHONE: FAX:

COMMENT:

Spray Cleaning Device

TELEPHONE:

TELEPHONE:

TELEPHONE: (920) 929-9192

(937) 465-7050

MODEL: Alfa Laval Inc. - MN **CLEANING REQUIREMENTS**

Plastic Turbine Full CIP 2950 Metro Drive

Bloomington MN55425-1535 **COMMENT:**

FAX:

MODEL: **CLEANING REQUIREMENTS** Chemdet Inc.

Turbo Disc 100-S, 150-S Full CIP 50 Sintsink Dr. East

Port Washington NY11050

TELEPHONE: FAX: (516) 883-1510

COMMENT:

MODEL: CMT S.P.A. **CLEANING REQUIREMENTS**

Full CIP 141/A Via Provinciale

S.Lorenzo Peveragno **COMMENT:**

Cuneo Italy

FAX:

FAX:

12010

MODEL: Drynamics L.L.C. **CLEANING REQUIREMENTS**

USDA Spray Cone Full CIP

476 Russell Street

Fond du Lac WI54935

COMMENT: United States

(920) 929-9193

MODEL: **Evaporator Dryer Technologies CLEANING REQUIREMENTS**

C236-696, F236-696 Full CIP

1805 Ridgeway Street

Hammond WI54015

TELEPHONE: FAX: (715) 796-2313 (715) 796-2378

COMMENT:

MODEL: Holdren Brothers, Inc. **CLEANING REQUIREMENTS**

SE125-SP075 Full CIP

301 Runkle

OH43357 West Liberty COMMENT:

TELEPHONE: FAX: (937) 465-0525

Paget Equipment Company Inc.

417 East 29th Street

TELEPHONE:

Marshfield

WI54449-5312

FAX:

Sani-Matic Systems

1915 S. Stoughton Road

P.O. Box 8662

Madison

WI53716-2259

TELEPHONE: FAX:

Tetra Pak Tebel

Zwettestraat 30,PO Box370

8901 DB

Leeuwarden

The Netherla 8901 BD

TELEPHONE:

31-(0)582332900

2614 East Beltway Eight

Pasadena

Toftejorg Inc.

TELEPHONE:

(713) 487-7851

TX77503

FAX:

FAX:

(713) 487-7937

31-(0)582332998

MODEL:

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Plastic Turbines

MODEL: Spray Balls **CLEANING REQUIREMENTS**

CLEANING REQUIREMENTS

Full CIP

COMMENT:

MODEL:

CLEANING REQUIREMENTS Stainless Steel Turbine

Full CIP

Full CIP

COMMENT:

Turbines are to have fully welded seams.

MODEL:

COMMENT:

Sani-Midget

Stainer - Rotary Drum

FAX:

Alar Engineering Corp. 9651 West 196th Street

Monkena IL60448

TELEPHONE: (312) 479-6100

MODEL: 650SS3 Auto-Vac

CLEANING REQUIREMENTS

Manual

COMMENT:

Diatomacious earth media vacuum filter. Reclaimed liquid NOT suitable for human food.

Stainless Steel Alloy

INSSCO Int. Stainless Steel Co MODEL: CLEANING REQUIREMENTS

COMMENT:

2275 Half Day Road Mexiroll Full CIP

Suite 126

Bannockburn IL60015 TELEPHONE: FAX:

(847) 317-1400 (847) 317-1404

J&L Specialty Steel, Inc. MODEL: CLEANING REQUIREMENTS

1200 Midland Avenue Kool-Line Full CIP

Midland PN15059-1696 COMMENT:

TELEPHONE: FAX: Kool-Line, rolled-on #4 fiish on stainless steel sheets. (412) 773-2565 (412) 773-2827

Strainer-Inline

TELEPHONE:

(320) 485-4401

TELEPHONE:

MODEL: Scherping Systems **CLEANING REQUIREMENTS**

IS42 Partial CIP 801 Kingsley Street

P.O. Box 10 **COMMENT:**

Winsted MN55395-0010 FAX:

(320) 485-2666

MODEL: CLEANING REQUIREMENTS Scherping Systems **IS64** Partial CIP

801 Kingsley Street

P.O. Box 10 **COMMENT:** Winsted MN55395-0010

FAX:

(320) 485-4401 (320) 485-2666

Tank - Dry Products Silo

Marriott Walker Corp. 925 East Maple Road

Birmingham MI48009

TELEPHONE: FAX:

(810) 644-6868 (810) 642-1213 MODEL: **CLEANING REQUIREMENTS**

Custom Models Partial CIP

COMMENT:

Four compartment silo.

Tank - Farm Milk Cooling

Alfa Laval Agri, Inc. MODEL: CLEANING REQUIREMENTS

KF19244 Full CIP

Kansas City MO64153-1296 COMMENT: TELEPHONE: FAX:

Delaval, Inc. MODEL: CLEANING REQUIREMENTS

11100 North Congress Ave. DX /C Full CIP

Kansas City MO64153-1296 COMMENT:

TELEPHONE: FAX: Issued revised certificate for Bulk Milk Tank Cooler. (816) 891-1628 (816) 891-1673

Tank - Jacketed Processing

TELEPHONE:

Breddo Likwifier

MODEL: Advanced Process Technigy Inc. **CLEANING REQUIREMENTS**

SMHS-200 gallon Partial CIP P.O. Box 32283

Cincinnati OH45232-0283 **COMMENT:**

KS66105-1104

FAX:

MODEL:

Partial CIP 550 South 18th Street

Kansas City

COMMENT: TELEPHONE: FAX: LDTR, LDTRW, LDTRWW, LDTR-W,

LOR, LORW, LORWW, LOR-W, LORSS, LORWSS, LORWWSS, LOR-WSS, LOS, LOSW, LOSWW, LOS-W, LDT, LDTW,

CLEANING REQUIREMENTS

LDTWW, LDT-W

MODEL: Hamilton Kettles **CLEANING REQUIREMENTS**

SA Kettle Mixer Manual 11861 Mosteller Road

Cincinnati OH45241

COMMENT: TELEPHONE: FAX:

(513) 771-2400 (513) 672-3231

Tank - Transfer Hopper

American Process Systems Corp.

3815 Grandville Avenue

Gurnee IL60031-2331

TELEPHONE: FAX:

Hart Design & Manufacturing

P.O. Box 8002

Green Bay WI54308-8002

TELEPHONE: FAX:

MODEL: CLEANING REQUIREMENTS

Agitated Hopper Manual

COMMENT:

MODEL: CLEANING REQUIREMENTS

SHPA, Serial No. 79806 Manual

COMMENT:

Truck Tanker - Dry Products

Transportation Equipment Corp

Transportation Equipment corp

Minneapolis

MN55414

TELEPHONE: FAX:

900 Sixth Avenue SE

MODEL:

1500 series (AL)

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Tumble Drum

Allen Machinery MODEL: CLEANING REQUIREMENTS

42 x 72 DF Manual 17952 Lyons Cr.

Huntington Beach CA92647 COMMENT:

TELEPHONE: **FAX**: (714) 842-8442 (714) 842-9492

Spray Dynamics, LTD MODEL: CLEANING REQUIREMENTS

Soft Flight Coating Drum Manual

108 Balte Lane

St. Clair MO63077 COMMENT: TELEPHONE: FAX:

Spray Dynamics-CA MODEL: CLEANING REQUIREMENTS

750 West 17th Street

Soft Flite

Manual

Costa Mesa CA92627-4307

TELEPHONE: FAX:

Unpacking Equipment

Baader Food Processing Mach.

MODEL: 601D, 603D

COMMENT:

CLEANING REQUIREMENTS

12780 Westlink Drive

FL33913

Manual

TELEPHONE:

Fort Myers

FAX:

(941) 561-3600 (941) 768-5029

Valves - Butterfly

Tyco Valves & Controls PL MODEL: CLEANING REQUIREMENTS
Manual

430 Teddy Avenue

Lancaster PA17601 COMMENT:

TELEPHONE: FAX: Review of F250 W/F257-100 Actuator & Mounting Kit.

Valves - Compression

TELEPHONE:

(559) 271-2150

MODEL: APV Americas - Lake Mills **CLEANING REQUIREMENTS**

SW4 Full CIP 100 South CP Avenue

Lake Mills WI53551-1799 **COMMENT: TELEPHONE:**

FAX:

MODEL: **CLEANING REQUIREMENTS APV Products**

DF+2 Full CIP 100 South CP Avenue

Lakes Mills WI53551 **COMMENT: TELEPHONE:** FAX:

FAX:

MODEL: APV Rockford Inc. **CLEANING REQUIREMENTS**

Single Seat Valve Full CIP 1303 Samuelson Road

Rockford IL61109-3645 **COMMENT:**

MODEL: **CLEANING REQUIREMENTS** Niro Hudson BF1800/USDA

Full CIP 1600 O'Keefer Road

Hudson WI54016 COMMENT: **TELEPHONE:** FAX:

SCT Backpulse Valve for use with ceramic membrane systems. (715) 386-9371 (715) 386-9376 Acceptance also includes identical designed valves scaled up or

down in size.

MODEL: Protherm Engineering Company **CLEANING REQUIREMENTS**

ZΡ Full CIP

3475 W. Shaw Avenue

CA93711 Fresno **COMMENT:** USA

(559) 271-2151

TELEPHONE: FAX:

Valves - Diverter

DMN Incoprated MODEL: CLEANING REQUIREMENTS

3951 Senator Street TDV Partial CIP

Memphis TN38118 COMMENT: TELEPHONE: FAX:

(901) 360-1537 (901) 360-0348

Valves - Dry Products

(206) 322-5474

Hartland

MODEL: **CLEANING REQUIREMENTS** Belshaw Bros., Inc

S - Models Manual 1750 22nd Avenue South

Seattle WA98144-4590 **COMMENT:**

(206) 322-5425

TELEPHONE: FAX:

MODEL: Fox Valve Development Corp. **CLEANING REQUIREMENTS**

Series 850 Manual 2 Great Meadow Lane

East Hanover NJ07936-1703 **COMMENT:**

TELEPHONE: FAX: Sanitary venturi eductor in both manual clean and C-I-P models.

MODEL: **CLEANING REQUIREMENTS** General Resource Corp.

Ball Valve Manual 201 Third Street South

Hopkins MN55343-7794 **COMMENT: TELEPHONE:** FAX:

MODEL: General Resource Corp. **CLEANING REQUIREMENTS**

Double Flapper Valve Manual 201 Third Street South

Hopkins MN55343-7794 COMMENT: **TELEPHONE:** FAX:

MODEL: Nu-Con Equipment **CLEANING REQUIREMENTS**

Manual 1600 Lake Drive West

Chanhassen MN55317

COMMENT: TELEPHONE: FAX: "Y" Valve (952) 279-5210 (952) 279-5206 Scale Diverter

Butterfly Valve for dry products

DEM-YU Demountable Y-type Diverter Valve

TVS- U-100 Splitter Valve

MODEL: SMS International Inc. **CLEANING REQUIREMENTS**

IP Slide Valve Manual

510 Hartbrook Drive

WI53029-1415 **COMMENT: TELEPHONE:** FAX:

Walker Stainless - Elroy

902 2nd Main Street

P.O. Box B

Elroy WI53929-0126

TELEPHONE:

(608) 462-8461 (608) 462-8960

FAX:

MODEL:

38" ID Butterfly Valve

CLEANING REQUIREMENTS

Full CIP

COMMENT:

Valves - Gate

Salina Vortex Corporation

3024 Arnold Avenue

Salina KS67401-8105

FAX:

TELEPHONE:

(785) 825-7177

MODEL: Quick Clean-SAN **CLEANING REQUIREMENTS**

Full CIP

COMMENT:

Valves - Vacuum Release

Vacu-Purg Inc.

MODEL: S/B Enterprises **CLEANING REQUIREMENTS**

Silo Vent/Vacuum Release Full CIP 705 East Union Avenue

Modesto CA95356-1707 **COMMENT: TELEPHONE:** FAX:

MODEL:

CLEANING REQUIREMENTS

Vacu-Purg Full CIP P.O. Box 272

Fredericksburg IA50630-0272 **COMMENT: TELEPHONE:** FAX:

(319) 237-5811

Water Heating System

Quik Water MODEL: CLEANING REQUIREMENTS
Manual

Box 2357

Tulsa OK74101-2357

TELEPHONE: FAX:

(800) 241-1951 (918) 599-8603

COMMENT: